



IMH INDUSTRIAL
MATERIAL HANDLING
BY WB MANUFACTURING

2020 IMH Catalog

www.wibenchmfg.com

Table of Contents



Bench Tops

Hardwood Tops6-7

ShopTop® 8

Laminate Tops.....10-11

Laminate Tops (Postformed Edge) 12

Laminate Tops (Chem & ESD)14-15

Laminate Tops (ESD w/Postformed Edge) 16

Laminate Tops (3mm Edge)18-19

Laminate Tops (Lotz Armor Edge™)20-21

Laminate Tops (T-Mold Edge).....22-23

Stainless Steel Tops 24

Phenolic & Epoxy Tops.....25-26



Lockers

REplay® & World Famous Lockers 27



Locker Benches

Hardwood Locker Bench Seats & Accessories..... 29

Hardwood Bench Kits/ADA..... 30

Locker Bench Seat Kits/Phenolic & Hardwood 31

Laminate/Cubbie Benches.....32-33



Stools.....34-35

Finishes & Edge Banding36-37

Tables

EPIC Tables 9

LOBO Tables..... 13

TORO Tables..... 17

We Can.
DESIGN. BUILD. DELIVER.

Purchase Order Requirements

We are requesting the following information on every incoming purchase order so that we may speed up our order entry process and avoid delays or misinterpretations on your order.

Purchase Order

Contact Name, Email and Phone Number

- Answers questions regarding purchase order and sending acknowledgments

Ship to Address

Preferred Freight Carrier and Terms

- Indicate collect or 3rd party with bill to address
- WB will select Prepaid & Add Terms and Freight Carrier if preferred is not specified

Ship Date

Quote # (provided by WB Manufacturing on all quotes)

Attach Drawings (if needed)

- DXF file preferred

Dimensions (width x length x thickness)

Detailed Description

- Product Model # and Name
- Edge Type and/or Color
 - 3mm, Lotz Armor Edge™, .5mm" PVC, HPL, T-Mold
 - WB Manufacturing will select standard unless otherwise specified
- Leg Type: include two or three digit leg type extension, if noted as such in pricelist
- Specify Core Material and Edge Profile (if applicable)

Standard HPL or TFL Laminate Colors

- Stock laminate colors to include WB in front of name (i.e. WB Grey or Stock)
- Non-stock laminate colors must include:
 - vendor name
 - laminate color name
 - color
 - finish

Quantity Per Line Item

Price Per Line Item

Special Packaging Requirements

Special Services Needed

- Examples: lift gate, inside delivery, etc.

Examples:

BBT9082-T-2BN

30 x 60 x 1.5 Hardwood

Butcher Block with 180°

Bullnose 2 Long Sides

PLT3082-S-MD-Z09

30 x 60 x 1.25 Plastic Laminate

Top in WB American Cherry,

Modern Edge One Long Side

LOB9070-M-ADJ

24 x 54 x 1.75 LOBO Table

with Maple Top and

Adjustable Legs

SS5000-3660-5AC-FV

36 x 24 x 60 Transporter

with Honey Maple TFL and

matching edge banding

Non-Standard Service Fees

In some cases, extra fees may apply to your order that are not indicated on the individual pricing pages. Contact your WB Manufacturing Project Manager or Estimating Team for applicable fees:

- One-time Engineering fees may apply (**not applicable for reorder of same product**)
 - custom shapes, drilling top/bottom, etc.
- Orders shipping LTL and order amount totals less than \$450
 - \$75 LTL handling fee applied
- Ground packaging
 - \$45 list will be applied to each item
- Rush/expedited projects **may have fees applied**
 - contact the plant for availability and capacity.
- Products in process or non-stock and custom materials cannot be canceled, customer is responsible for all costs incurred by WB Manufacturing prior to receipt of any change or cancellation.
- Potential fees may apply for design assistance and/or change orders.
- Any special services needed will incur upcharges.
 - Examples: lift gate, inside delivery, etc.
- A 25% restocking fee is charged for any returned items.

Product Specifications

Specifications are subject to change. Visit www.wibenchmfg.com and click RESOURCES at the top of the page, then PRODUCT SPECS to find the most current product information and assembly instructions.

Order Tracking

Customers can access information on an order and shipment status via our extranet. Login at extranet.wibenchmfg.com. Create a new user account and gain access 24/7 to your valuable account details right from your computer. If you have questions, please call 800.242.2303 regarding this service between the hours of 7:30 a.m. and 4:30 p.m. Central Time.

Lead Times

Seasonal Lead Time Chart

PRODUCT	PO SUBMITTED	*LEAD TIME STOCK MATERIALS	*LEAD TIME NON-STOCK MATERIALS
Panels/Furniture	Jan 1st - April 15th	2 WEEKS	4 WEEKS
	April 16th - Sept 15th	6 WEEKS	8 WEEKS
	Sept 16th - Dec 31st	4 WEEKS	6 WEEKS
Casework/Lockers	Jan 1st - April 15th	3 WEEKS	6 WEEKS
	April 16th - Sept 15th	6 WEEKS	10 WEEKS
	Sept 16th - Dec 31st	4 WEEKS	8 WEEKS

Freight Class

Freight classes follow the annually established National Motor Freight Classifications. In some cases, freight classes may change from the date of publication. If you have questions on freight classes, please contact Customer Service at 800.242.2303.

National Motor Freight Classifications for WB Products

WB PRODUCTS	NMFC	FREIGHT CLASS	DESCRIPTION
Locker Benches - w/o legs or pedestals	83630	70	Locker Room Bench Tops
ADA & Locker Room Bench Kits	79860	70	Bench Kits
Tops / Countertops / Unattached Back Splash	83620-2	70	Tables / Counter Tops
BBT or Stainless Steel Tops	83640	70	Wood or Steel Tops
Particle Board	24490	60	Particle Board
Shelving Kits & Cabinet Panels	81635	70	Shelving / Panels
Tables Legs and Pedestals	97720	70	Table Hardware & Legs
Knocked Down - Workstations, Conf Tables, Study Carrels	81820-02	70	Table Sets / Knocked Down
Unassembled Stools	80580	Density Based Class*	Stools
Fully Welded Frames - TORO	82790	Density Based Class*	Frames
Disassembled Frames - LOBO	82790	Density Based Class*	Frames
Cabinets & Lockers - Assembled	80440	Density Based Class*	Cabinets
Leg Inserts, Casters, Glides, Book Boxes, Totes	83270	Density Based Class*	Legs & Feet

*See chart below; Pounds per cubic feet is calculated in inches: Weight / [(LxWxH)/1728]

Density Based Class Chart

CATEGORY	DESCRIPTION	CLASS
Sub 1	Less than 1	400
Sub 2	1 but less than 2	300
Sub 3	2 but less than 4	250
Sub 4	4 but less than 6	175
Sub 5	6 but less than 8	125
Sub 6	8 but less than 10	100
Sub 7	10 but less than 12	92.5
Sub 8	12 but less than 15	85
Sub 9	15 but less than 22.5	70
Sub 10	22.5 but less than 30	65
Sub 11	30 or greater	60



benchTops™

BY WB MANUFACTURING

Not only has WB Manufacturing been a leader in benchtops for over 35 years, we are a leading supplier of OEM tops for manufacturers of work benches, shelving, tables and desks. From commercial work benches to industrial material handling tables and storage racks to the lab, race shops and electrical assembly stations -- WB Manufacturing can design, build and deliver standard and custom work surfaces tailored to meet your needs, whether they are laminate, stainless steel, phenolic, epoxy or hardwood.



Wood



Stainless Steel



Laminate



Laminate
w/ Lotz Armor Edge™

Laminate
w/ 3mm Edge

Hardwood

ShopTop®

Laminate
w/ 180° Bullnose Edging

Hardwood
w/ 180° Bullnose Edging

Phenolic

Stainless Steel

Butcher Block Top with Eased Edges Overview

Material: Face-glued hardwood strips

Finish: Catalyzed clear lacquer, 2 coats top, 1 coat bottom, mineral oiled, linseed oiled** or unfinished⁺

Edge: 0.125" eased edge

Thickness: 1.25", 1.5", 1.75" or 2.25" available. (1.5" and 2.25" call for pricing)

Sizes: Up to 60"D* x 144"L

Options: Face-glued maple or hard maple strips, backsplash



*Tops over 36"D are in 2 pieces, field assembled with joint connector bolts(included); lengths are 1/2" undersized.
 **Linseed oil finish adds 1-2 weeks to lead time.
 +Unfinished hardwood tops are not covered under warranty.

12"D - 24"D Butcher Block Top w/ Eased Edges

	Thickness	1.25	1.75
Model #	D" x L"	-S	-V
BBT9033	12 x 24	397	448
BBT9034	12 x 30	398	449
BBT9035	12 x 36	399	450
BBT9036	12 x 48	400	451
BBT9037	12 x 60	433	529
BBT9038	12 x 72	490	596
BBT9040	12 x 96	623	829
BBT9041	12 x 120	952	1125
BBT9042	12 x 144	1044	1252
BBT9043	15 X 24	423	485
BBT9044	15 x 30	424	485
BBT9045	15 x 36	425	486
BBT9046	15 x 48	427	488
BBT9047	15 x 60	467	578
BBT9048	15 x 72	508	657
BBT9050	15 x 96	687	980
BBT9051	15 x 120	767	1251
BBT9052	15 x 144	849	1403
BBT9053	18 X 24	477	558
BBT9054	18 x 30	478	559
BBT9055	18 x 36	479	560
BBT9056	18 x 48	481	562
BBT9057	18 x 60	534	666
BBT9058	18 x 72	590	746
BBT9060	18 x 96	827	952
BBT9061	18 x 120	1172	1401
BBT9062	18 x 144	1329	1608
BBT9065	24 X 24	478	559
BBT9066	24 x 30	479	561
BBT9067	24 x 36	481	562
BBT9069	24 x 48	501	363
BBT9071	24 x 60	609	471
BBT9072	24 x 72	706	557
BBT9074	24 x 96	1003	853
BBT9075	24 x 120	1403	1656
BBT9076	24 x 144	1592	1901
LBS/SQ FT		5.0	7.0

30"D - 60"D Butcher Block Top w/ Eased Edges

	Thickness	1.25	1.75
Model #	D" x L"	-S	-V
BBT9077	30 X 30	532	634
BBT9078	30 x 36	534	636
BBT9080	30 x 48	689	471
BBT9082	30 x 60	842	579
BBT9083	30 x 72	945	687
BBT9085	30 x 96	1235	902
BBT9086	30 x 120	1605	1118
BBT9087	30 x 144	1814	1334
BBT9088	36 X 36	650	716
BBT9090	36 x 48	811	557
BBT9092	36 x 60	945	687
BBT9093	36 x 72	1119	816
BBT9095	36 x 96	1466	1075
BBT9096	36 x 120	1910	1559
BBT9097	36 x 144	2276	1862
BBT9107	48 X 48	1213	1343
BBT9108	48 x 60	1396	1626
BBT9109	48 x 72	1616	1828
BBT9111	48 x 96	2136	2420
BBT9112	48 x 120	3027	2648
BBT9113	48 x 144	3421	3174
BBT9114	60 X 60	1814	1713
BBT9115	60 x 72	2140	2126
BBT9117	60 x 96	2682	2818
BBT9118	60 x 120	3408	3453
BBT9119	60 x 144	3878	3973
LBS/SQ FT		5.0	7.0

Custom Sizes - Add 15% per top to next larger standard size list price.

Important Information

- Lead Time: See chart on page 4.
- Lacquer finish Butcher Block tops are not food safe.



Hardwood
(eased edge)
(standard)



Maple
(eased edge)
(call for pricing)



Joint connector
hardware for
butcher block
tops over 36"D

Additional Options	List \$
Maple (-M)	Call Estim.
Hard maple (-H)	Call Estim.
1 grommet hole	25
Additional grommet holes (same top)	10
2.375" Black grommet cover	10
Drilling (1-16 holes)	49
Drilling (17+)	68
Inserts installed (each)/(drilling not included)	5
Mitre joint or field joint	64
Additional field joint (same top)	32
Angle cut (first cut)	64
Additional angle cut (same top)	32
Additional coat lacquer (per sq ft)	5
Linseed oil (per sq ft)	9
4" square backsplash (1" thick) (per in ft)	32
Full packaging	11
Crate packaging	Call Estim.
Ground packaging (per item)	45
1.5" & 2.25" thicknesses available	Call Estim.

Shipping Details

Class: 70
NMFC#: 83640
Ground: Yes, with limitations
Package: Carton

Butcher Block Top with Radius or Bullnose Overview

Material: Face-glued hardwood strips

Finish: Catalyzed clear lacquer, 2 coats top, 1 coat bottom, mineral oiled, linseed oiled** or unfinished*

Edge: Bullnose or radius edge 1 long side, 0.125" radius remaining sides

Thickness: 1.25", 1.5", or 1.75" available (1.5" call for pricing). (2.25" only available on radius edge. Call for pricing)

Sizes: Up to 60"D x 144"L*

Options: Face-glued maple or hard maple strips, backsplash

*Tops over 36"D are in 2 pieces, field assembled with joint connector bolts(included); lengths are 1/2" undersized.
 **Linseed oil finish adds 1-2 weeks to lead time.
 *Unfinished hardwood tops are not covered under warranty.

12"D - 24"D Butcher Block Top w/ (-BN) Bullnose or (-RA) Radius Edge

	Thickness	1.25	1.75
Model #	D" x L"	-S	-V
BBT9033	12 x 24	394	445
BBT9034	12 x 30	395	445
BBT9035	12 x 36	396	446
BBT9036	12 x 48	397	473
BBT9037	12 x 60	475	636
BBT9038	12 x 72	538	739
BBT9040	12 x 96	718	928
BBT9041	12 x 120	1025	1171
BBT9042	12 x 144	1124	1303
BBT9043	15 x 24	420	481
BBT9044	15 x 30	421	482
BBT9045	15 x 36	422	482
BBT9046	15 x 48	424	535
BBT9047	15 x 60	538	695
BBT9048	15 x 72	621	767
BBT9050	15 x 96	880	1101
BBT9051	15 x 120	1123	1302
BBT9052	15 x 144	1242	1461
BBT9053	18 x 24	473	554
BBT9054	18 x 30	474	555
BBT9055	18 x 36	475	556
BBT9056	18 x 48	477	598
BBT9057	18 x 60	560	732
BBT9058	18 x 72	647	820
BBT9060	18 x 96	909	1166
BBT9061	18 x 120	1254	1473
BBT9062	18 x 144	1422	1690
BBT9065	24 x 24	474	555
BBT9066	24 x 30	476	556
BBT9067	24 x 36	477	558
BBT9069	24 x 48	552	483
BBT9071	24 x 60	690	585
BBT9072	24 x 72	812	670
BBT9074	24 x 96	1116	945
BBT9075	24 x 120	1461	1749
BBT9076	24 x 144	1657	2007
LBS/SQ FT		5.0	7.0

30"D - 60"D Butcher Block Top w/ (-BN) Bullnose or (-RA) Radius Edge

	Thickness	1.25	1.75
Model #	D" x L"	-S	-V
BBT9077	30 x 30	528	629
BBT9078	30 x 36	568	666
BBT9080	30 x 48	774	585
BBT9082	30 x 60	882	678
BBT9083	30 x 72	1069	772
BBT9085	30 x 96	1450	1002
BBT9086	30 x 120	1710	1337
BBT9087	30 x 144	1969	1555
BBT9088	36 x 36	726	824
BBT9090	36 x 48	861	670
BBT9092	36 x 60	1069	783
BBT9093	36 x 72	1209	924
BBT9095	36 x 96	1767	1158
BBT9096	36 x 120	2099	1626
BBT9097	36 x 144	2431	2102
BBT9107	48 x 48	1313	1472
BBT9108	48 x 60	1559	1760
BBT9109	48 x 72	1808	1979
BBT9111	48 x 96	2286	2620
BBT9112	48 x 120	3232	2902
BBT9113	48 x 144	3653	3319
BBT9114	60 x 60	1994	1878
BBT9115	60 x 72	2304	2375
BBT9117	60 x 96	2949	2962
BBT9118	60 x 120	3639	3695
BBT9119	60 x 144	4141	4251
LBS/SQ FT		5.0	7.0

Custom Sizes - Add 15% per top to next larger standard size list price.

Important Information

- Lead Time: See chart on page 4.
- Lacquer finish Butcher Block tops are not food safe.



Bullnose Front Edge -BN

Radius Edge -RA



Hardwood (standard)



Maple (call for pricing)



Joint connector hardware for butcher block tops over 36"D

Additional Options	List \$
Maple (-M)	Call Estim.
Hard maple (-H)	Call Estim.
1 grommet hole	25
Additional grommet holes (same top)	10
2.375" Black grommet cover	10
Drilling (1-16 holes)	49
Drilling (17+)	68
Inserts installed (each)/(drilling not included)	5
Mitre joint or field joint	64
Additional field joint (same top)	32
Angle cut (first cut)	64
Additional angle cut (same top)	32
Additional coat lacquer (per sq ft)	5
Linseed oil (per sq ft)	9
4" square backsplash (1" thick) (per ln ft)	32
Full packaging	11
Crate packaging	Call Estim.
Ground packaging (per item)	45
1.5" thicknesses available	Call Estim.
2.25" thicknesses only available on radius edge	Call Estim.

Shipping Details

Class:	70
NMFC#:	83640
Ground:	Yes, with limitations
Package:	Carton

ShopTop® Overview

- Material:** Medium-density fiberboard (MDF) core sandwiched between 0.5" particle board
- Finish:** Catalyzed clear lacquer, 2 coats top, 1 coat bottom
- Edge:** 0.375" radius top and bottom front edge, all other edges have a 0.125" radius edge
- Thickness:** 1.5" or 1.75" available
- Sizes:** Up to 60"D x 144"L*
- Options:** Bullnose edge



*All tops over 60"L must have extra support in addition to the legs by adding additional legs and/or support bar to prevent bowing.

24"D - 36"D ShopTop®

	Thickness	1.5	1.75
Model #	D" x L"	-T	-V
CMP1065	24 x 24	251	262
CMP1066	24 x 30	263	283
CMP1067	24 x 36	292	298
CMP1069	24 x 48	301	319
CMP1071	24 x 60	328	326
CMP1072	24 x 72	378	391
CMP1074	24 x 96	569	587
CMP1075	24 x 120	736	714
CMP1076	24 x 144	870	806
CMP1077	30 x 30	298	304
CMP1078	30 x 36	313	341
CMP1080	30 x 48	328	358
CMP1082	30 x 60	380	394
CMP1083	30 x 72	417	462
CMP1085	30 x 96	637	624
CMP1086	30 x 120	877	813
CMP1087	30 x 144	993	975
CMP1088	36 x 36	359	372
CMP1090	36 x 48	403	453
CMP1092	36 x 60	484	467
CMP1093	36 x 72	527	586
CMP1095	36 x 96	748	792
CMP1096	36 x 120	1007	988
CMP1097	36 x 144	1178	1269
LBS/SQ FT		7.0	7.5

48"D - 60"D ShopTop®

	Thickness	1.5	1.75
Model #	D" x L"	-T	-V
CMP1107	48 x 48	570	555
CMP1108	48 x 60	593	626
CMP1109	48 x 72	667	706
CMP1111	48 x 96	914	1026
CMP1112	48 x 120	1277	1259
CMP1113	48 x 144	1477	1460
CMP1114	60 x 60	875	812
CMP1115	60 x 72	991	973
CMP1117	60 x 96	1268	1251
CMP1118	60 x 120	1518	1680
CMP1119	60 x 144	1765	1958
LBS/SQ FT		7.0	7.5

Additional Options	List \$
1 grommet hole	25
Additional grommet holes (same top)	10
2.375" black grommet cover	10
Drilling (1-16 holes)	49
Drilling (17+)	68
Inserts installed (each)/(drilling not included)	5
Mitre joint or field joint	64
Additional field joint (same top)	32
Angle cut (first cut)	64
Additional angle cut (same top)	32
Bullnose edge (radius edge is standard)	no charge
Radius (opposite side)	Add 12%
Additional coat lacquer (per sq ft)	5
Bulk packaging deduction (per top)	(6)
Full packaging	11
Crate packaging	Call Estim.
Ground packaging (per item)	45

Important Information

- Lead Time: See chart on page 4.
- Lacquer finish ShopTop® are not food safe.

Custom Sizes - Add 5% per top to next larger standard size list price.

Shipping Details

Class: 70
NMFC#: 83640
Ground: Yes, with limitations
Package: Carton

Like our tops?

You are going to love our tables!

EPIC TABLES

Colored Frames:

Smooth Silver
Blue
Green
Red
Orange
Purple

Tops:

Laminate
Hardwood
Stainless Steel
Phenolic



**See pages 142-149
in full line catalog
for sizes and pricing
on our EPIC Tables**

Plastic Laminate Tops w/ .5mm PVC Edge

- Material:** Particle board core with high pressure laminate (HPL) on top, phenolic backer (0.75" and 1.25") or resin backer (1.625" and 1.75")
- Finish:** Standard or custom laminates
- Edge:** .5mm PVC edge banding (square edge on all four sides).
- Thickness:** 0.75", 1.25", 1.625", or 1.75" available
- Sizes:** Up to 60"D x 144"L*



*All tops over 60"L must have extra support in addition to the legs by adding additional legs and/or support bar to prevent bowing.

12"D - 18"D Laminate Tops

	Thickness	0.75	1.25	1.625	1.75
Model #	D" x L"	-L	-S	-U	-V
PLT3033	12 x 24	153	157	169	180
PLT3034	12 x 30	176	181	186	202
PLT3035	12 x 36	181	187	201	216
PLT3036	12 x 48	190	198	221	231
PLT3037	12 x 60	202	211	247	260
PLT3038	12 x 72	222	233	270	286
PLT3040	12 x 96	271	288	308	336
PLT3041	12 x 120	313	343	376	425
PLT3042	12 x 144	344	389	432	465
PLT3043	15 x 24	157	170	180	188
PLT3044	15 x 30	182	188	203	217
PLT3045	15 x 36	188	195	217	227
PLT3046	15 x 48	199	208	243	256
PLT3047	15 x 60	213	224	271	287
PLT3048	15 x 72	236	258	290	315
PLT3050	15 x 96	297	325	348	374
PLT3051	15 x 120	346	391	434	468
PLT3052	15 x 144	393	428	493	534
PLT3053	18 x 24	169	175	186	203
PLT3054	18 x 30	187	204	216	226
PLT3055	18 x 36	194	212	226	248
PLT3056	18 x 48	208	229	264	280
PLT3057	18 x 60	232	254	285	310
PLT3058	18 x 72	257	286	316	346
PLT3060	18 x 96	324	358	393	424
PLT3061	18 x 120	384	418	482	523
PLT3062	18 x 144	426	493	539	621
LBS/SQ FT		3.3	5.0	7.0	7.2

24"D - 36"D Laminate Tops

	Thickness	0.75	1.25	1.625	1.75
Model #	D" x L"	-L	-S	-U	-V
PLT3065	24 x 24	179	201	215	231
PLT3066	24 x 30	208	224	250	269
PLT3067	24 x 36	217	229	264	279
PLT3069	24 x 48	236	259	319	317
PLT3071	24 x 60	264	312	349	375
PLT3072	24 x 72	299	365	404	413
PLT3074	24 x 96	392	427	492	535
PLT3075	24 x 120	508	560	679	744
PLT3076	24 x 144	569	668	767	880
PLT3077	30 x 30	228	251	274	298
PLT3078	30 x 36	249	273	297	309
PLT3080	30 x 48	284	311	348	396
PLT3082	30 x 60	300	335	407	416
PLT3083	30 x 72	339	369	449	488
PLT3085	30 x 96	461	507	673	640
PLT3086	30 x 120	572	673	773	888
PLT3087	30 x 144	683	763	917	1014
PLT3088	36 x 36	279	298	340	363
PLT3090	36 x 48	318	351	406	438
PLT3092	36 x 60	331	408	453	509
PLT3093	36 x 72	371	471	513	593
PLT3095	36 x 96	509	585	751	718
PLT3096	36 x 120	693	772	926	1023
PLT3097	36 x 144	769	864	1039	1204
LBS/SQ FT		3.3	5.0	7.0	7.2

48"D - 60"D Laminate Tops

	Thickness	0.75	1.25	1.625	1.75
Model #	D" x L"	-L	-S	-U	-V
PLT3107	48 x 48	388	447	513	558
PLT3108	48 x 60	457	503	579	672
PLT3109	48 x 72	512	587	692	761
PLT3111	48 x 96	640	756	846	990
PLT3112	48 x 120	942	1107	1340	1492
PLT3113	48 x 144	1086	1282	1554	1735
PLT3114	60 x 60	649	721	894	986
PLT3115	60 x 72	733	854	1017	1126
PLT3117	60 x 96	934	1098	1256	1482
PLT3118	60 x 120	1141	1296	1572	1760
PLT3119	60 x 144	1323	1508	1831	2055
LBS/SQ FT		3.3	5.0	7.0	7.2

Laminate HPL Colors

Vertical Grain

-Z09

American Cherry

-D08

Eggplant

-SR

Oiled Cherry

-A02

Asian Night

-94

Fusion Maple

-D18

Picnic in the Park

-32

Bannister Oak

-FV

Honey Maple

-D12

Sleeping In

-R01

Blue Agave

-KB

Hardrock Maple

-T01

Sprout

-C15

Buka Bark

-C99

Little Black Dress

-C09

Tangerine

-B58

Burnt Strand

-D11

Love Letters

-D22

Walnut Grove

Solid

-04

Almond

-D69

Forsythia

-A41

Ocean

-09

Black

-C98

Fresh Papaya

-D13

Summer Vacation

-N5

Cassis

-60

Hollyberry

-03

White

-05

Dove Grey

-A40

Island

-L07

Wrought Iron

-CV

Folkstone

-14

Lapis Blue

Pattern

-C97

Beachcomber

-D19

Cookies & Cream

-HL

Woolamai Brush

-A19

Chocolate Warp

-Z01

Earthen Warp

-D17

Vision Vava

-A73

Classic Linen

-25

Grey Nebula

.5mm PVC Edge Band Colors

-04

Almond

-09

Black

-05

Dove Grey

-03

White

Plastic Laminate Tops w/ Laminate Edge

- Material:** Particle board core with high pressure laminate (HPL) on top, phenolic backer (0.75" and 1.25") or resin backer (1.625" and 1.75")
- Finish:** Standard or custom laminates
- Edge:** Laminate square edge on all four sides
- Thickness:** 0.75", 1.25", 1.625", or 1.75" available
- Sizes:** Up to 60"D x 144"L*



*All tops over 60"L must have extra support in addition to the legs by adding additional legs and/or support bar to prevent bowing.

12"D - 18"D Laminate Tops

	Thickness	0.75	1.25	1.625	1.75
Model #	D" x L"	-L	-S	-U	-V
PLT4033	12 x 24	270	275	279	285
PLT4034	12 x 30	275	281	285	292
PLT4035	12 x 36	279	286	292	300
PLT4036	12 x 48	289	298	305	314
PLT4037	12 x 60	301	312	320	331
PLT4038	12 x 72	311	325	333	347
PLT4040	12 x 96	329	363	375	393
PLT4041	12 x 120	412	443	474	499
PLT4042	12 x 144	441	488	507	553
PLT4043	15 x 24	274	280	285	292
PLT4044	15 x 30	280	287	293	301
PLT4045	15 x 36	286	294	301	310
PLT4046	15 x 48	298	309	316	327
PLT4047	15 x 60	312	325	334	348
PLT4048	15 x 72	325	341	350	384
PLT4050	15 x 96	352	391	422	445
PLT4051	15 x 120	442	489	523	555
PLT4052	15 x 144	488	542	564	624
PLT4053	18 x 24	279	286	291	299
PLT4054	18 x 30	286	294	300	309
PLT4055	18 x 36	293	302	309	320
PLT4056	18 x 48	307	319	327	341
PLT4057	18 x 60	321	336	346	379
PLT4058	18 x 72	338	373	385	404
PLT4060	18 x 96	387	431	446	493
PLT4061	18 x 120	479	531	552	611
PLT4062	18 x 144	535	602	628	689
LBS/SQ FT		3.3	5.0	7.0	7.2

24"D - 36"D Laminate Tops

	Thickness	0.75	1.25	1.625	1.75
Model #	D" x L"	-L	-S	-U	-V
PLT4065	24 x 24	288	297	303	312
PLT4066	24 x 30	297	307	314	326
PLT4067	24 x 36	306	319	326	340
PLT4069	24 x 48	325	341	350	367
PLT4071	24 x 60	344	364	411	433
PLT4072	24 x 72	365	388	440	466
PLT4074	24 x 96	442	497	560	621
PLT4075	24 x 120	547	618	716	770
PLT4076	24 x 144	623	698	792	895
PLT4077	30 x 30	310	323	331	344
PLT4078	30 x 36	320	335	344	377
PLT4080	30 x 48	343	380	434	474
PLT4082	30 x 60	366	390	442	489
PLT4083	30 x 72	391	439	498	538
PLT4085	30 x 96	501	613	710	763
PLT4086	30 x 120	624	760	795	900
PLT4087	30 x 144	706	883	926	1008
PLT4088	36 x 36	339	374	384	447
PLT4090	36 x 48	384	427	483	512
PLT4092	36 x 60	432	463	542	578
PLT4093	36 x 72	459	524	605	649
PLT4095	36 x 96	611	684	775	876
PLT4096	36 x 120	774	852	1051	1144
PLT4097	36 x 144	882	980	1172	1344
LBS/SQ FT		3.3	5.0	7.0	7.2

48"D - 60"D Laminate Tops

	Thickness	0.75	1.25	1.625	1.75
Model #	D" x L"	-L	-S	-U	-V
PLT4107	48 x 48	442	502	557	618
PLT4108	48 x 60	544	612	708	762
PLT4109	48 x 72	617	690	781	882
PLT4111	48 x 96	732	838	959	1046
PLT4112	48 x 120	1061	1193	1472	1616
PLT4113	48 x 144	1210	1419	1677	1848
PLT4114	60 x 60	775	848	1035	1121
PLT4115	60 x 72	854	988	1151	1253
PLT4117	60 x 96	1053	1184	1461	1605
PLT4118	60 x 120	1275	1432	1693	1943
PLT4119	60 x 144	1451	1638	1940	2235
LBS/SQ FT		3.3	5.0	7.0	7.2

Additional Options

	List \$
1 grommet hole	25
Additional grommet holes (same top)	10
2.375" black grommet cover	10
Drilling (1-16 holes)	49
Drilling (17+)	68
Inserts installed (each)/(drilling not included)	5
Mitre joint or field joint	64
Additional field joint (same top)	32
Markerboard Top	Call Estim.
Angle cut (first cut)	64
Additional angle cut (same top)	32
Postformed one side, 54" max. depth (-BN) (-MD) (ONLY for Laminate Edge. See pg 12 for .5mm edge)	Add 30%
Postformed opposite sides, 54" max. depth (-2BN) (-2MD) (ONLY for laminate edge. See pg 12 for .5mm edge)	Add 50%
Laminate backer substitution (per sq ft)	5
4" square self-edge backsplash (1" thick) (per ln ft)	39
4" square PVC edge backsplash (1" thick) (per ln ft)	32
Bulk packaging deduction (per top)	(6)
Full packaging	11
Crate Packaging	Call Estim.
Ground packaging (per item)	45

Important Information

- Lead Time: See chart on page 4.


Custom Sizes - Add 5% per top to next larger standard size list price.

Shipping Details

Class: 70
NMFC#: 83620-2
Ground: Yes, with limitations
Package: Carton

Plastic Laminate Tops w/Postformed Edge and .5mm PVC edges

- Material:** Particle board core with high pressure laminate (HPL) on top, phenolic backer (0.75" and 1.25") or resin backer (1.625" and 1.75")
- Finish:** Standard or custom laminates
- Edge:** (-MD) 90° Modern edge or (-BN) Std Postformed edge, other edges are .5mm PVC edges
- Thickness:** 0.75", 1.25", 1.625", or 1.75" available
- Sizes:** Up to 48"D x 144"L*



*All tops over 60"L must have extra support in addition to the legs by adding additional legs and/or support bar to prevent bowing.

12"D - 18"D Laminate Tops

	Thickness	0.75	1.25	1.625	1.75
Model #	D" x L"	-L	-S	-U	-V
PLT3033	12 x 24	261	264	268	275
PLT3034	12 x 30	284	289	293	301
PLT3035	12 x 36	289	295	300	308
PLT3036	12 x 48	300	330	336	365
PLT3037	12 x 60	335	363	370	384
PLT3038	12 x 72	365	377	385	420
PLT3040	12 x 96	428	463	475	510
PLT3041	12 x 120	485	508	585	616
PLT3042	12 x 144	513	553	623	660
PLT3043	15 x 24	265	269	274	282
PLT3044	15 x 30	290	296	300	310
PLT3045	15 x 36	296	303	308	318
PLT3046	15 x 48	308	359	366	380
PLT3047	15 x 60	365	378	386	402
PLT3048	15 x 72	380	413	423	443
PLT3050	15 x 96	456	496	522	551
PLT3051	15 x 120	513	554	624	662
PLT3052	15 x 144	560	594	671	759
PLT3053	18 x 24	272	277	282	304
PLT3054	18 x 30	298	305	310	320
PLT3055	18 x 36	306	314	320	347
PLT3056	18 x 48	322	376	384	400
PLT3057	18 x 60	382	396	406	444
PLT3058	18 x 72	402	446	457	473
PLT3060	18 x 96	507	547	563	596
PLT3061	18 x 120	563	618	715	762
PLT3062	18 x 144	633	675	783	838
LBS/SQ FT		3.3	5.0	7.0	7.2

24"D - 48"D Laminate Tops

	Thickness	0.75	1.25	1.625	1.75
Model #	D" x L"	-L	-S	-U	-V
PLT3065	24 x 24	281	301	307	318
PLT3066	24 x 30	309	333	340	353
PLT3067	24 x 36	319	346	353	368
PLT3069	24 x 48	339	370	379	408
PLT3071	24 x 60	360	405	416	462
PLT3072	24 x 72	382	456	469	497
PLT3074	24 x 96	514	601	679	770
PLT3075	24 x 120	642	849	879	954
PLT3076	24 x 144	703	945	981	1109
PLT3077	30 x 30	322	349	356	372
PLT3078	30 x 36	333	362	400	438
PLT3080	30 x 48	358	403	462	488
PLT3082	30 x 60	382	456	498	546
PLT3083	30 x 72	439	538	555	592
PLT3085	30 x 96	573	837	867	933
PLT3086	30 x 120	700	944	1153	1247
PLT3087	30 x 144	816	1098	1284	1396
PLT3088	36 x 36	358	401	412	433
PLT3090	36 x 48	419	464	477	505
PLT3092	36 x 60	452	504	570	607
PLT3093	36 x 72	482	594	614	700
PLT3095	36 x 96	706	803	885	985
PLT3096	36 x 120	851	1161	1332	1286
PLT3097	36 x 144	933	1282	1474	1607
PLT3107	48 x 48	458	764	797	843
PLT3108	48 x 60	526	789	792	878
PLT3109	48 x 72	576	870	823	889
PLT3111	48 x 96	787	937	1070	1164
PLT3112	48 x 120	978	1350	1614	1766
PLT3113	48 x 144	1176	1536	1840	2020
LBS/SQ FT		3.3	5.0	7.0	7.2

Bullnose Front Edge

-BN

Radius Edge

-RA

Additional Options

	List \$
1 grommet hole	25
Additional grommet holes (same top)	10
2.375" black grommet cover	10
Drilling (1-16 holes)	49
Drilling (17+)	68
Inserts installed (each)/(drilling not included)	5
Mitre joint or field joint	64
Additional field joint (same top)	32
Angle cut (first cut)	64
Additional angle cut (same top)	32
Postformed opposite sides, 54" max. depth (-2BN) (-2MD)	Add 25%
Laminate backer substitution (per sq ft)	5
4" square PVC edge backplash (1" thick) (per ln ft)	32
Bulk packaging deduction (per top)	(6)
Full packaging	11
Crate Packaging	Call Estim.
Ground packaging (per item)	45

Custom Sizes - Add 5% per top to next larger standard size list price.


Important Information

- Lead Time: See chart on page 4.

Shipping Details

Class:	70
NMFC#:	83620-2
Ground:	Yes, with limitations
Package:	Carton

Laminate HPL Colors



Like our tops?

You are going to love our tables!

LOBO Tables

Frames:
Smooth Silver
Textured Black

Tops:
Laminate
Hardwood
Stainless Steel
Phenolic
Epoxy



*See pages 150-161
in full line catalog
for sizes and pricing
on our LOBO Tables*

Chemical Resistant or Electro Static Dissipative Tops+ w/.5mm PVC Edge

- Material:** Particle board core, ESD (in White, Almond, Grey) or chemical resistant laminate top, phenolic backer (1.25") or resin backer (1.625" and 1.75")
- Finish:** Standard or custom laminates
- Edge:** .5mm PVC edge banding (square edge on all four sides). Call for PVC colors.
- Thickness:** 1.25", 1.625", or 1.75" available
- Sizes:** Up to 60"D x 144"L*



*All tops over 60"L must have extra support in addition to the legs by adding additional legs and/or support bar to prevent bowing.
 *All ESD tops over 72" are recommended to have two grounding bolt kits.
 *Grounding bolts for ESD tops must be factory installed to ensure proper function.

12"D - 24"D CHM/ESD Tops

Chemical Resistant Model #	ESD Model #	Thickness D" x L"	1.25 -S	1.625 -U	1.75 -V
CHM3033	ESD3033	12 x 24	174	202	209
CHM3034	ESD3034	12 x 30	203	223	243
CHM3035	ESD3035	12 x 36	213	247	256
CHM3036	ESD3036	12 x 48	233	257	282
CHM3037	ESD3037	12 x 60	259	282	310
CHM3038	ESD3038	12 x 72	296	321	337
CHM3040	ESD3040	12 x 96	382	433	456
CHM3041	ESD3041	12 x 120	504	551	583
CHM3042	ESD3042	12 x 144	593	651	690
CHM3043	ESD3043	15 x 24	187	213	231
CHM3044	ESD3044	15 x 30	219	249	259
CHM3045	ESD3045	15 x 36	231	264	287
CHM3046	ESD3046	15 x 48	256	293	306
CHM3047	ESD3047	15 x 60	300	325	341
CHM3048	ESD3048	15 x 72	344	371	391
CHM3050	ESD3050	15 x 96	448	492	539
CHM3051	ESD3051	15 x 120	603	660	701
CHM3052	ESD3052	15 x 144	676	741	789
CHM3053	ESD3053	18 x 24	208	235	248
CHM3054	ESD3054	18 x 30	244	275	291
CHM3055	ESD3055	18 x 36	260	281	293
CHM3056	ESD3056	18 x 48	292	330	346
CHM3057	ESD3057	18 x 60	340	366	392
CHM3058	ESD3058	18 x 72	377	413	436
CHM3060	ESD3060	18 x 96	514	564	598
CHM3061	ESD3061	18 x 120	665	729	776
CHM3062	ESD3062	18 x 144	758	871	929
CHM3065	ESD3065	24 x 24	241	263	284
CHM3066	ESD3066	24 x 30	284	310	335
CHM3067	ESD3067	24 x 36	291	329	345
CHM3069	ESD3069	24 x 48	351	396	417
CHM3071	ESD3071	24 x 60	414	447	451
CHM3072	ESD3072	24 x 72	504	520	552
CHM3074	ESD3074	24 x 96	688	672	757
CHM3075	ESD3075	24 x 120	935	968	1044
CHM3076	ESD3076	24 x 144	1076	1114	1203
LBS/SQ FT			5.0	7.0	7.2

30"D - 60"D CHM/ESD Tops

Chemical Resistant Model #	ESD Model #	Thickness D" x L"	1.25 -S	1.625 -U	1.75 -V
CHM3077	ESD3077	30 x 30	328	337	359
CHM3078	ESD3078	30 x 36	361	371	390
CHM3080	ESD3080	30 x 48	413	464	457
CHM3082	ESD3082	30 x 60	478	493	523
CHM3083	ESD3083	30 x 72	556	611	651
CHM3085	ESD3085	30 x 96	846	875	935
CHM3086	ESD3086	30 x 120	997	1134	1226
CHM3087	ESD3087	30 x 144	1208	1314	1422
CHM3088	ESD3088	36 x 36	442	454	497
CHM3090	ESD3090	36 x 48	506	522	567
CHM3092	ESD3092	36 x 60	596	615	654
CHM3093	ESD3093	36 x 72	694	717	765
CHM3095	ESD3095	36 x 96	966	999	1069
CHM3096	ESD3096	36 x 120	1162	1322	1431
CHM3097	ESD3097	36 x 144	1549	1605	1724
CHM3107	ESD3107	48 x 48	645	705	750
CHM3108	ESD3108	48 x 60	750	775	827
CHM3109	ESD3109	48 x 72	913	944	1009
CHM3111	ESD3111	48 x 96	1274	1319	1414
CHM3112	ESD3112	48 x 120	1526	1580	1698
CHM3113	ESD3113	48 x 144	1987	2058	2214
CHM3114	ESD3114	60 x 60	988	1022	1094
CHM3115	ESD3115	60 x 72	1197	1239	1328
CHM3117	ESD3117	60 x 96	1519	1745	1875
CHM3118	ESD3118	60 x 120	2032	2105	2266
CHM3119	ESD3119	60 x 144	2393	2480	2672
LBS/SQ FT			5.0	7.0	7.2

Additional Options

	List \$
0.875" grounding bolt kit w/6" 1 ohm wire+ (per location)	72
Grounding bolt kit installation (per location)	32
Grounding cord kit w/15' ground cord and snap+ (per location)	60
Grounding cord kit installation (per location)	32
1 grommet hole	25
Additional grommet holes (same top)	10
2.375" black grommet cover	10
Drilling (1-16 holes)	49
Drilling (17+)	68
Inserts installed (each)/ (drilling not included)	5
Mitre joint or field joint	64
Additional field joint (same top)	32
Angle cut (first cut)	64
Additional angle cut (same top)	32
Laminate backer substitution (per sq ft)	5
ESD/Chem. Rest. laminate backer substitution (per sq ft)	16
4" square backsplash (1" thick) (per ln ft) (ESD, PVC edge)	51
Bulk packaging deduction (per top)	(6)
Full packaging	11
Crate packaging	Call Estim.
Ground packaging (per item)	45

Custom Sizes - Add 5% per top to next larger standard size list price.

Important Information

- Lead Time: See chart on page 4.
- In order to operate all anti static tops effectively, grounding bolt must be attached to a reliable earth ground connection. Typical installation location for grounding cord or bolt is 4" along back and inset 4" from edge. Specify left or right position
- Additional chemical resistant laminates available in various color with possible up charges. Contact Estimating Dept. for pricing.

ESD Laminate Colors



Chemical Resistant Laminate Colors

Other color finish options are available with extended lead times and possible upcharges. For specific color matching, please request color chip from the manufacturer.

Chemical Resistant or Electro Static Dissipative Tops⁺ w/Laminate Edge

- Material:** Particle board core, ESD (in White, Almond, Grey) or chemical resistant laminate top, phenolic backer (1.25") or resin backer (1.625" and 1.75")
- Finish:** Standard or custom laminates
- Edge:** Laminate square edge on all four sides
- Thickness:** 1.25", 1.625", or 1.75" available
- Sizes:** Up to 60"D x 144"L*



*All tops over 60"L must have extra support in addition to the legs by adding additional legs and/or support bar to prevent bowing.
 *All ESD tops over 72" are recommended to have two grounding bolt kits.
 *Grounding bolts for ESD tops must be factory installed to ensure proper function.

12"D - 24"D CHM/ESD Tops

Chemical Resistant Model #	ESD Model #	Thickness D" x L"	1.25 -S	1.625 -U	1.75 -V
CHM4033	ESD4033	12 x 24	301	308	315
CHM4034	ESD4034	12 x 30	313	321	328
CHM4035	ESD4035	12 x 36	325	333	342
CHM3036	ESD4036	12 x 48	348	358	369
CHM3037	ESD4037	12 x 60	374	385	399
CHM3038	ESD4038	12 x 72	398	411	427
CHM3040	ESD4040	12 x 96	475	494	542
CHM3041	ESD4041	12 x 120	602	647	676
CHM3042	ESD4042	12 x 144	680	711	774
CHM4043	ESD4043	15 x 24	312	319	327
CHM4044	ESD4044	15 x 30	326	334	343
CHM4045	ESD4045	15 x 36	340	349	360
CHM4046	ESD4046	15 x 48	368	379	392
CHM4047	ESD4047	15 x 60	398	411	427
CHM4048	ESD4048	15 x 72	427	442	460
CHM4050	ESD4050	15 x 96	551	572	598
CHM4051	ESD4051	15 x 120	681	709	773
CHM4052	ESD4052	15 x 144	781	816	858
CHM4053	ESD4053	18 x 24	323	330	339
CHM4054	ESD4054	18 x 30	339	348	358
CHM4055	ESD4055	18 x 36	355	365	377
CHM4056	ESD4056	18 x 48	388	400	415
CHM4057	ESD4057	18 x 60	421	435	453
CHM4058	ESD4058	18 x 72	457	473	502
CHM4060	ESD4060	18 x 96	595	618	677
CHM4061	ESD4061	18 x 120	764	796	837
CHM4062	ESD4062	18 x 144	855	915	965
CHM4065	ESD4065	24 x 24	344	353	363
CHM4066	ESD4066	24 x 30	365	375	388
CHM4067	ESD4067	24 x 36	386	398	412
CHM4069	ESD4069	24 x 48	428	443	461
CHM4071	ESD4071	24 x 60	472	496	518
CHM4072	ESD4072	24 x 72	555	575	603
CHM4074	ESD4074	24 x 96	714	808	851
CHM4075	ESD4075	24 x 120	988	1029	1141
CHM4076	ESD4076	24 x 144	1172	1222	1317
LBS/SQ FT			5.0	7.0	7.2

30"D - 60"D CHM/ESD Tops

Chemical Resistant Model #	ESD Model #	Thickness D" x L"	1.25 -S	1.625 -U	1.75 -V
CHM4077	ESD4077	30 x 30	392	404	419
CHM4078	ESD4078	30 x 36	417	430	447
CHM4080	ESD4080	30 x 48	470	486	507
CHM4082	ESD4082	30 x 60	521	540	566
CHM4083	ESD4083	30 x 72	618	641	711
CHM4085	ESD4085	30 x 96	819	936	929
CHM4086	ESD4086	30 x 120	1076	1231	1188
CHM4087	ESD4087	30 x 144	1225	1427	1421
CHM4088	ESD4088	36 x 36	486	502	524
CHM4090	ESD4090	36 x 48	553	572	600
CHM4092	ESD4092	36 x 60	619	707	675
CHM4093	ESD4093	36 x 72	720	794	788
CHM4095	ESD4095	36 x 96	1004	1083	1260
CHM4096	ESD4096	36 x 120	1226	1425	1489
CHM4097	ESD4097	36 x 144	1549	1616	1721
CHM4107	ESD4107	48 x 48	706	743	839
CHM4108	ESD4108	48 x 60	813	844	920
CHM4109	ESD4109	48 x 72	946	982	1080
CHM4111	ESD4111	48 x 96	1269	1320	1469
CHM4112	ESD4112	48 x 120	1563	1736	1929
CHM4113	ESD4113	48 x 144	2011	2095	2237
CHM4114	ESD4114	60 x 60	1061	1103	1169
CHM4115	ESD4115	60 x 72	1204	1252	1392
CHM4117	ESD4117	60 x 96	1656	1723	1914
CHM4118	ESD4118	60 x 120	2045	2130	2277
CHM4119	ESD4119	60 x 144	2379	2478	2733
LBS/SQ FT			5.0	7.0	7.2

Additional Options	List \$
0.875" grounding bolt kit+ w/6" 1 ohm wire (per location)	72
Grounding bolt kit installation (per location)	32
Grounding cord kit w/15' ground cord and snap+ (per location)	60
Grounding cord kit installation (per location)	32
1 grommet hole	25
Additional grommet holes (same top)	10
2.375" black grommet cover	10
Drilling (1-16 holes)	49
Drilling (17+)	68
Inserts installed (each)/ (drilling not included)	5
Mitre joint or field joint	64
Additional field joint (same top)	32
Angle cut (first cut)	64
Additional angle cut (same top)	32
Laminate backer substitution (per sq ft)	5
ESD/Chem. Rest. laminate backer substitution (per sq ft)	16
Postformed one side, 54" max. depth (-BN) (-MD) (N/A on chem. rest. tops)	Add 30%
Postformed opposite sides, 54" max. depth (-2BN) (-MD) (per in ft) (self edge) (N/A on chem. rest. tops)	Add 50%
4" square backslash ESD/Chem. Rest. backslash (1" thick) (per in ft) (self edge)	61
Bulk packaging deduction (per top)	(6)
Full packaging	11
Crate packaging	Call Estim.
Ground packaging(per item)	45

Custom Sizes - Add 5% per top to next larger standard size list price.

Important Information

- Lead Time: See chart on page 4.
- In order to operate all anti static tops effectively, grounding bolt must be attached to a reliable earth ground connection. Typical installation location for grounding cord or bolt is 4" along back and inset 4" from edge. Specify left or right position
- Additional chemical resistant laminates available in various color with possible up charges. Contact Estimating Dept. for pricing.

ESD Laminate Colors



Chemical Resistant Laminate Colors

Other color finish options are available with extended lead times and possible upcharges. For specific color matching, please request color chip from the manufacturer.

Shipping Details

Class: 70
NMFC#: 83620-2
Ground: Yes, with limitations
Package: Carton

Pricing and specifications are subject to change. Please refer to our catalog on the website for the most up-to-date information. Product images are for illustrative purposes only and may differ from the actual product.

wibenchmfg.com

15

Electro Static Dissipative Tops+ w/ Postformed Edge and .5mm PVC Edges


Material: Particle board core, ESD (in Almond or Grey) top, phenolic backer (1.25") or resin backer (1.625" and 1.75")

Finish: Standard or custom laminates

Edge: (-MD) 90° Modern edge or (-BN) Std Postformed edge, other edges are .5mm PVC edges

Thickness: 1.25", 1.625", or 1.75" available

Sizes: Up to 48"D x 144"L*



*All tops over 60"L must have extra support in addition to the legs by adding additional legs and/or support bar to prevent bowing.

*All ESD tops over 72" are recommended to have two grounding bolt kits.

*Grounding bolts for ESD tops must be factory installed to ensure proper function.

Bullnose Front Edge

-BN

Radius Edge

-RA

12"D - 18"D Laminate Tops

	Thickness	1.25	1.625	1.75
Model #	D" x L"	-S	-U	-V
ESD3033	12 x 24	300	304	311
ESD3034	12 x 30	332	336	344
ESD3035	12 x 36	352	348	358
ESD3036	12 x 48	351	356	367
ESD3037	12 x 60	394	382	414
ESD3038	12 x 72	419	426	441
ESD3040	12 x 96	529	540	561
ESD3041	12 x 120	666	680	734
ESD3042	12 x 144	754	771	806
ESD3043	15 x 24	318	323	331
ESD3044	15 x 30	353	349	368
ESD3045	15 x 36	368	364	385
ESD3046	15 x 48	370	376	407
ESD3047	15 x 60	419	427	442
ESD3048	15 x 72	460	469	488
ESD3050	15 x 96	580	593	628
ESD3051	15 x 120	755	772	808
ESD3052	15 x 144	832	852	936
ESD3053	18 x 24	336	340	350
ESD3054	18 x 30	375	381	392
ESD3055	18 x 36	367	390	403
ESD3056	18 x 48	422	429	455
ESD3057	18 x 60	471	480	498
ESD3058	18 x 72	512	523	572
ESD3060	18 x 96	667	681	711
ESD3061	18 x 120	899	920	963
ESD3062	18 x 144	1009	1033	1084
	LBS/SQ FT	5.0	7.0	7.2

24"D - 48"D Laminate Tops

	Thickness	1.25	1.625	1.75
Model #	D" x L"	-S	-U	-V
ESD3065	24 x 24	356	381	393
ESD3066	24 x 30	401	408	443
ESD3067	24 x 36	415	422	448
ESD3069	24 x 48	474	483	502
ESD3071	24 x 60	524	563	587
ESD3072	24 x 72	605	618	646
ESD3074	24 x 96	783	801	841
ESD3075	24 x 120	1035	1061	1171
ESD3076	24 x 144	1172	1202	1381
ESD3077	30 x 30	451	459	476
ESD3078	30 x 36	481	490	532
ESD3080	30 x 48	577	580	605
ESD3082	30 x 60	605	619	647
ESD3083	30 x 72	670	686	752
ESD3085	30 x 96	911	934	984
ESD3086	30 x 120	1171	1202	1383
ESD3087	30 x 144	1401	1439	1582
ESD3088	36 x 36	567	578	610
ESD3090	36 x 48	623	636	664
ESD3092	36 x 60	703	719	787
ESD3093	36 x 72	830	849	891
ESD3095	36 x 96	1106	1133	1193
ESD3096	36 x 120	1490	1528	1674
ESD3097	36 x 144	1696	1740	1958
ESD3107	48 x 48	744	761	837
ESD3108	48 x 60	863	884	998
ESD3109	48 x 72	1009	1002	1161
ESD3111	48 x 96	1434	1472	1696
ESD3112	48 x 120	1778	1827	2061
ESD3113	48 x 144	2143	2204	2396
	LBS/SQ FT	5.0	7.0	7.2

Additional Options

	List \$
0.875" grounding bolt kit w/6" 1 ohm wire+ (per location)	72
Grounding bolt kit installation (per location)	32
Grounding cord kit w/15' ground cord and snap+ (per location)	60
Grounding cord kit installation (per location)	32
1 grommet hole	25
Additional grommet holes (same top)	10
2.375" black grommet cover	10
Drilling (1-16 holes)	49
Drilling (17+)	68
Inserts installed (each)/(drilling not included)	5
Mitre joint or field joint	64
Additional field joint (same top)	32
Angle cut (first cut)	64
Additional angle cut (same top)	32
Laminate backer substitution (per sq ft)	5
ESD laminate backer substitution (per sq ft)	16
Postformed opposite sides, 54" max. depth (-2BN, -2MD)	Add 25%
4" square ESD backsplash (1" thick) (per in ft) (PVC edge)	51
Bulk packaging deduction (per top)	(6)
Full packaging	11
Crate packaging	Call Estim.
Ground packaging (per item)	45

ESD Laminate Colors



Custom Sizes - Add 5% per top to next larger standard size list price.

Important Information

- Lead Time: See chart on page 4.
- In order to operate all anti static tops effectively, grounding bolt must be attached to a reliable earth ground connection. Typical installation location for grounding cord or bolt is 4" along back and inset 4" from edge. Specify left or right position.

Shipping Details

Class: 70
NMFC#: 83620-2
Ground: Yes, with limitations
Package: Carton

Like our tops?

You are going to love our tables!

TORO Tables

Colored Frames:

Smooth Silver
Textured Black
Blue
Green
Red
Orange
Purple

Tops:

Laminate
Hardwood
Stainless Steel
Phenolic
Epoxy



*See pages 162-173
in full line catalog
for sizes and pricing
on our TORO Tables*

Laminate Tops w/3mm Edge

Material: Particle board core with high pressure laminate (HPL) on top, phenolic backer

Finish: Standard or custom laminates


Edge: 3mm PVC edge banding, square or 1.5" radius corners

Thickness: 0.75" or 1.25" available

Sizes: Up to 60"D x 144"L*

Square
Corner

Radius
Corner



*All tops over 60"L must have extra support in addition to the legs by adding additional legs and/or support bar to prevent bowing.

*All ESD tops over 72" are recommended to have two grounding bolt kits.

*Grounding bolts for ESD tops must be factory installed to ensure proper function.

12"D - 15"D Laminate Tops

	Thickness Corner	0.75 SQ	1.25 SQ	0.75 RA	1.25 RA
Model #	D" x L"	-L	-S	-LR	-SR
3MM6033	12 x 24	162	167	162	167
3MM6034	12 x 30	187	193	187	193
3MM6035	12 x 36	193	201	193	200
3MM6036	12 x 48	205	215	205	215
3MM6037	12 x 60	219	241	219	231
3MM6038	12 x 72	241	265	232	256
3MM6040	12 x 96	342	344	311	333
3MM6041	12 x 120	407	449	416	449
3MM6042	12 x 144	452	491	452	521
3MM6043	15 x 24	167	180	167	180
3MM6044	15 x 30	193	201	193	209
3MM6045	15 x 36	200	218	200	218
3MM6046	15 x 48	214	235	214	235
3MM6047	15 x 60	240	263	240	255
3MM6048	15 x 72	265	294	256	283
3MM6050	15 x 96	372	391	339	365
3MM6051	15 x 120	448	486	448	516
3MM6052	15 x 144	490	568	519	568
LBS/SQ FT		3.5	5.0	3.5	5.0

18"D - 24"D Laminate Tops

	Thickness Corner	0.75 SQ	1.25 SQ	0.75 RA	1.25 RA
Model #	D" x L"	-L	-S	-LR	-SR
3MM6053	18 x 24	172	187	179	193
3MM6054	18 x 30	200	217	200	217
3MM6055	18 x 36	216	234	216	227
3MM6056	18 x 48	233	255	224	247
3MM6057	18 x 60	259	287	250	276
3MM6058	18 x 72	290	312	279	300
3MM6060	18 x 96	415	419	360	403
3MM6061	18 x 120	473	549	502	549
3MM6062	18 x 144	559	615	559	639
3MM6065	24 x 24	190	206	196	206
3MM6066	24 x 30	220	240	220	240
3MM6067	24 x 36	239	253	239	263
3MM6069	24 x 48	261	291	243	279
3MM6071	24 x 60	296	319	275	307
3MM6072	24 x 72	322	375	310	336
3MM6074	24 x 96	416	473	416	485
3MM6075	24 x 120	568	652	568	652
3MM6076	24 x 144	638	737	663	736
LBS/SQ FT		3.5	5.0	3.5	5.0

30"D - 60"D Laminate Tops

	Thickness Corner	0.75 SQ	1.25 SQ	0.75 RA	1.25 RA
Model #	D" x L"	-L	-S	-LR	-SR
3MM6077	30 x 30	280	308	243	268
3MM6078	30 x 36	305	326	255	283
3MM6080	30 x 48	294	317	273	304
3MM6082	30 x 60	338	376	309	350
3MM6083	30 x 72	379	428	339	386
3MM6085	30 x 96	478	528	478	541
3MM6086	30 x 120	659	752	659	734
3MM6087	30 x 144	745	855	763	855
3MM6088	36 x 36	340	364	302	331
3MM6090	36 x 48	379	431	345	386
3MM6092	36 x 60	373	416	393	446
3MM6093	36 x 72	413	470	443	488
3MM6095	36 x 96	608	702	637	708
3MM6096	36 x 120	748	856	766	856
3MM6097	36 x 144	832	985	875	985
3MM6107	48 x 48	405	460	420	460
3MM6108	48 x 60	469	531	480	530
3MM6109	48 x 72	538	597	538	626
3MM6111	48 x 96	767	880	785	902
3MM6112	48 x 120	935	1054	935	1095
3MM6113	48 x 144	1077	1267	1119	1267
3MM6114	60 x 60	640	712	N/A	N/A
3MM6115	60 x 72	720	826	N/A	N/A
3MM6117	60 x 96	900	1042	N/A	N/A
3MM6118	60 x 120	1080	1275	N/A	N/A
3MM6119	60 x 144	1298	1481	N/A	N/A
LBS/SQ FT		3.5	5.0	3.5	5.0

Custom Sizes - Add 5% per top to next larger standard size list price.

Important Information

- Lead Time: See chart on page 4.
- In order to operate all anti static tops effectively, grounding bolt must be attached to a reliable earth ground connection. Typical installation location for grounding cord or bolt is 4" along back and inset 4" from edge. Specify left or right position.
- Additional chemical resistant laminates available in various colors with possible up charges. Contact Estimating Dept. for pricing.
- When requesting second long side with postformed edge(3mm tops), pricing is calculated by first adding 50% of original list price, then adding 25% to the new list price.

Shipping Details

Class: 70
NMFC#: 83620-2
Ground: Yes, with limitations
Package: Carton

ESD Laminate Colors




Chemical Resistant Laminate Colors

Other color finish options are available with extended lead times and possible upcharges. For specific color matching, please request color chip from the manufacturer.

See Page 19 for model #'s.

Laminate HPL Colors See page 43 for available edge banding colors.



Chemical Resistant Laminate or Electro Static Dissipative Tops⁺ w/3mm Edge

Material: Particle board core with high pressure laminate (HPL) on top, phenolic backer

Finish: Standard or custom laminates

Edge: 3mm PVC edge banding, square or 1.5" radius corners

Thickness: 0.75" or 1.25" available

Sizes: Up to 60"D x 144"L*

Square
Corner

Radius
Corner



12"D - 30"D CHM/ESD Tops

Chemical Resistant Model #	ESD Model #	Thickness Corner D" x L"	0.75 SQ -L	1.25 SQ -S	0.75 RA -LR	1.25 RA -SR
CHM6033	ESD6033	12 x 24	181	186	181	186
CHM6034	ESD6034	12 x 30	211	217	211	217
CHM6035	ESD6035	12 x 36	221	229	221	229
CHM6036	ESD6036	12 x 48	243	253	243	253
CHM6037	ESD6037	12 x 60	267	290	267	279
CHM6038	ESD6038	12 x 72	301	326	289	315
CHM6040	ESD6040	12 x 96	441	438	402	424
CHM6041	ESD6041	12 x 120	538	583	550	583
CHM6042	ESD6042	12 x 144	613	652	613	692
CHM6043	ESD6043	15 x 24	191	205	191	205
CHM6044	ESD6044	15 x 30	223	231	223	240
CHM6045	ESD6045	15 x 36	236	255	236	254
CHM6046	ESD6046	15 x 48	262	284	262	284
CHM6047	ESD6047	15 x 60	302	327	302	316
CHM6048	ESD6048	15 x 72	341	373	330	359
CHM6050	ESD6050	15 x 96	497	513	452	479
CHM6051	ESD6051	15 x 120	615	654	615	694
CHM6052	ESD6052	15 x 144	691	782	733	781
CHM6053	ESD6053	18 x 24	201	216	209	223
CHM6054	ESD6054	18 x 30	235	254	235	253
CHM6055	ESD6055	18 x 36	260	280	260	271
CHM6056	ESD6056	18 x 48	292	316	281	306
CHM6057	ESD6057	18 x 60	335	367	324	352
CHM6058	ESD6058	18 x 72	386	407	371	391
CHM6060	ESD6060	18 x 96	572	565	497	544
CHM6061	ESD6061	18 x 120	674	762	715	762
CHM6062	ESD6062	18 x 144	815	871	815	904
CHM6065	ESD6065	24 x 24	229	247	237	247
CHM6066	ESD6066	24 x 30	270	290	270	290
CHM6067	ESD6067	24 x 36	300	314	300	327
CHM6069	ESD6069	24 x 48	343	375	319	361
CHM6071	ESD6071	24 x 60	402	425	374	408
CHM6072	ESD6072	24 x 72	449	512	432	458
CHM6074	ESD6074	24 x 96	604	668	604	685
CHM6075	ESD6075	24 x 120	852	947	852	947
CHM6076	ESD6076	24 x 144	979	1091	1017	1091
CHM6077	ESD6077	30 x 30	354	384	306	334
CHM6078	ESD6078	30 x 36	397	417	331	362
CHM6080	ESD6080	30 x 48	400	423	372	406
CHM6082	ESD6082	30 x 60	477	518	436	482
CHM6083	ESD6083	30 x 72	549	604	491	544
CHM6085	ESD6085	30 x 96	722	772	722	791
CHM6086	ESD6086	30 x 120	1028	1130	1028	1103
CHM6087	ESD6087	30 x 144	1188	1309	1217	1309
LBS/SQ FT			3.5	5.0	3.5	5.0

36"D - 60"D CHM/ESD Tops

Chemical Resistant Model #	ESD Model #	Thickness Corner D" x L"	0.75 SQ -L	1.25 SQ -S	0.75 RA -LR	1.25 RA -SR
CHM6088	ESD6088	36 x 36	452	476	403	433
CHM6090	ESD6090	36 x 48	529	588	482	527
CHM6092	ESD6092	36 x 60	540	587	569	629
CHM6093	ESD6093	36 x 72	618	681	663	707
CHM6095	ESD6095	36 x 96	949	1057	992	1063
CHM6096	ESD6096	36 x 120	1191	1310	1220	1310
CHM6097	ESD6097	36 x 144	1364	1544	1433	1544
CHM6107	ESD6107	48 x 48	593	655	615	655
CHM6108	ESD6108	48 x 60	713	780	730	780
CHM6109	ESD6109	48 x 72	838	897	837	940
CHM6111	ESD6111	48 x 96	1239	1364	1269	1399
CHM6112	ESD6112	48 x 120	1556	1675	1555	1741
CHM6113	ESD6113	48 x 144	1822	2041	1893	2041
CHM6114	ESD6114	60 x 60	1009	1081	N/A	N/A
CHM6115	ESD6115	60 x 72	1163	1280	N/A	N/A
CHM6117	ESD6117	60 x 96	1505	1663	N/A	N/A
CHM6118	ESD6118	60 x 120	1856	2081	N/A	N/A
CHM6119	ESD6119	60 x 144	2266	2448	N/A	N/A
LBS/SQ FT			3.5	5.0	3.5	5.0

Additional Options

List \$

0.875" grounding bolt kit w/6" 1 ohm wire+ (per location)	72
Grounding bolt kit installation (per location)	32
Grounding cord kit w/10' ground cord and snap+ (per location)	60
Grounding cord kit installation (per location)	32
1 grommet hole	25
Additional grommet holes (same top)	10
2.375" black grommet cover	10
Drilling (1-16 holes)	49
Drilling (17+)	68
Inserts installed (each)/(drilling not included)	5
Mitre joint or field joint	64
Additional field joint (same top)	32
Angle cut (first cut)	64
Additional angle cut (same top)	32
Postformed one side, 54" max. depth (-BN, -MD) (N/A on chem. rest. tops)	Add 50%
Postformed opposite sides, 54" max. depth (-2BN, -2MD) (N/A on chem. rest. tops)	
See page 18 under Important Information on how to price out.	
Markerboard Top	Call Estim.
Laminate backer substitution (per sq ft)	5
ESD laminate backer substitution (per sq ft)	16
4" chemical resistant 3mm backplash	43
4" square backplash (1" thick) (per In ft) (3mm)	39
Bulk packaging deduction (per top)	(6)
Full packaging	11
Crate Packaging	Call Estim.
Ground packaging (per item)	45

Pricing and specifications are subject to change. Please refer to our catalog on the website for the most up-to-date information. Product images are for illustrative purposes only and may differ from the actual product.

wibenchmfg.com

AE Laminate Tops w/Lotz Armor Edge™

Material: MDF core with high pressure laminate (HPL) on top, phenolic backer

Finish: Standard or custom laminates

Edge: Black Lotz Armor Edge™ (additional colors available), 1.5" radius all corners or 1 beveled edge

Thickness: 0.75" or 1.25" available

Sizes: Up to 60"D x 144"L*

*All tops over 60"L must have extra support in addition to the legs by adding additional legs and/or support bar to prevent bowing.



Radius Edge -RA
standard

Beveled Edge -BV
optional

24"D - 30"D Laminate Tops

	Thickness	0.75	1.25
Model #	D" x L"	-L	-S
AET7065	24 x 24	\$186	\$208
AET7066	24 x 30	201	227
AET7067	24 x 36	219	245
AET7069	24 x 48	298	334
AET7071	24 x 60	329	372
AET7072	24 x 72*	364	414
AET7074	24 x 96	438	502
AET7075	24 x 120	572	662
AET7076	24 x 144	645	749
AET7077	30 x 30	256	284
AET7078	30 x 36	278	323
AET7080	30 x 48	327	368
AET7082	30 x 60	368	418
AET7083	30 x 72	416	476
AET7085	30 x 96	492	592
AET7086	30 x 120	650	755
AET7087	30 x 144	736	861
	LBS/SQ FT	4.0	5.3

36"D - 60"D Laminate Tops

	Thickness	0.75	1.25
Model #	D" x L"	-L	-S
AET7088	36 x 36	\$310	\$335
AET7090	36 x 48	359	407
AET7092	36 x 60	402	460
AET7093	36 x 72	458	527
AET7095	36 x 96	570	661
AET7096	36 x 120	693	809
AET7097	36 x 144	790	927
AET7107	48 x 48	426	488
AET7108	48 x 60	484	581
AET7109	48 x 72	564	654
AET7111	48 x 96	715	835
AET7112	48 x 120	840	987
AET7113	48 x 144	965	1139
AET7114	60 x 60	577	670
AET7115	60 x 72	681	759
AET7117	60 x 96	834	979
AET7118	60 x 120	987	1165
AET7119	60 x 144	1196	1416
	LBS/SQ FT	4.0	5.3

Additional Options	List \$
1 grommet hole	25
Additional grommet holes (same top)	10
2.375" black grommet cover	10
Drilling (1-16 holes)	49
Drilling (17+)	68
Inserts installed (each)/(drilling not included)	5
Mitre joint or field joint	64
Additional field joint (same top)	32
Angle cut (first cut)	64
Additional angle cut (same top)	32
Laminate backer substitution (per sq ft)	5
Carton/box packaging	25
Full packaging (added to carton packaging price)	11
Crate Packaging	Call Estim.
Ground packaging (per item)	45

Custom Sizes - Add 5% per top to next larger standard size list price.


Important Information

• Lead Time: See chart on page 4.

Shipping Details

Class: 70
NMFC#: 83620-2
Ground: Yes, with limitations
Package: Bulk

Lotz Armor Edge™ Laminate HPL Colors



AE Chemical Resistant Laminate or Electro Static Dissipative Tops⁺ w/Lotz Armor EdgeTM

Material: MDF core with black chemical resistant laminate on top or ESD top (in White, Almond, or Grey), phenolic backer

Finish: Standard or custom laminates

Edge: Black Lotz Armor EdgeTM (additional colors available), 1.5" radius all corners or 1 beveled edge

Thickness: 0.75" or 1.25" available

Sizes: Up to 60"D x 144"L*



*All tops over 60"L must have extra support in addition to the legs by adding additional legs and/or support bar to prevent bowing.
*All ESD tops over 72" are recommended to have two grounding bolt kits.
*Grounding bolts for ESD tops must be factory installed to ensure proper function.

Radius Edge -RA
standard

24"D - 60"D CHM/ESD Tops

		Thickness	0.75	1.25
Chemical Resistant Model #	ESD Model #	D" x L"	-L	-S
AET7065-C	ESD7065	24 x 24	232	254
AET7066-C	ESD7066	24 x 30	258	284
AET7067-C	ESD7067	24 x 36	289	314
AET7069-C	ESD7069	24 x 48	390	426
AET7071-C	ESD7071	24 x 60	445	487
AET7072-C	ESD7072	24 x 72	504	554
AET7074-C	ESD7074	24 x 96	630	694
AET7075-C	ESD7075	24 x 120	847	936
AET7076-C	ESD7076	24 x 144	973	1078
AET7077-C	ESD7077	30 x 30	324	352
AET7078-C	ESD7078	30 x 36	361	409
AET7080-C	ESD7080	30 x 48	442	484
AET7082-C	ESD7082	30 x 60	514	564
AET7083-C	ESD7083	30 x 72	596	656
AET7085-C	ESD7085	30 x 96	732	842
AET7086-C	ESD7086	30 x 120	992	1098
AET7087-C	ESD7087	30 x 144	1148	1272
AET7088-C	ESD7088	36 x 36	414	435
AET7090-C	ESD7090	36 x 48	499	547
AET7092-C	ESD7092	36 x 60	577	634
AET7093-C	ESD7093	36 x 72	674	742
AET7095-C	ESD7095	36 x 96	870	961
AET7096-C	ESD7096	36 x 120	1085	1201
AET7097-C	ESD7097	36 x 144	1260	1397
AET7107-C	ESD7107	48 x 48	618	680
AET7108-C	ESD7108	48 x 60	724	831
AET7109-C	ESD7109	48 x 72	864	953
AET7111-C	ESD7111	48 x 96	1133	1254
AET7112-C	ESD7112	48 x 120	1363	1510
AET7113-C	ESD7113	48 x 144	1592	1766
AET7114-C	ESD7114	60 x 60	890	982
AET7115-C	ESD7115	60 x 72	1073	1133
AET7117-C	ESD7117	60 x 96	1356	1502
AET7118-C	ESD7118	60 x 120	1640	1818
AET7119-C	ESD7119	60 x 144	2018	2239
		LBS/SQ FT	4.0	5.3

Additional Options	List \$
0.875" grounding bolt kit+ w/6" 1 ohm wire (per location)	72
Grounding bolt kit installation (per location)	32
Grounding cord kit w/15' ground cord and snap+ (per location)	60
Grounding cord kit installation (per location)	32
1 grommet hole	25
Additional grommet holes (same top)	10
2.375" black grommet cover	10
Drilling (1-16 holes)	49
Drilling (17+)	68
Inserts installed (each)/(drilling not included)	5
Mitre joint or field joint	64
Additional field joint (same top)	32
Angle cut (first cut)	64
Additional angle cut (same top)	32
Laminate backer substitution (per sq ft)	5
ESD/Chem. Rest. laminate backer substitution (per sq ft)	16
4" square backplash ESD/Chem. Rest. backplash (1" thick) (per ln ft) (self edge)	61
Carton/box packaging	25
Full packaging (added to carton packaging price)	11
Crate packaging	Call Estim.
Ground packaging (per item)	45

Beveled Edge -BV
optional

Custom Sizes - Add 5% per top to next larger standard size list price.

Important Information

- Lead Time: See chart on page 4.
- In order to operate all anti static tops effectively, grounding bolt must be attached to a reliable earth ground connection. Typical installation location for grounding cord or bolt is 4" along back and inset 4" from edge. Specify left or right position
- Additional chemical resistant laminates available in various colors with possible up charges. Contact Estimating Dept.. for pricing.

Chemical Resistant Laminate Colors

-09C Other color finish options are available with extended lead times and possible upcharges. For specific color matching, please request color chip from the manufacturer.
Black

ESD Laminate Colors



Shipping Details

Class: 70
NMFC#: 83620-2
Ground: Yes, with limitations
Package: Bulk

T-Mold Edge Tops

- Material:** Particle board core with high pressure laminate (HPL) on top, phenolic backer, 1.625" resin backer

Finish: Standard or custom laminates

Edge: T-Mold: black (standard) or 1.5" radius corners

Thickness: 0.75", 1.25", or 1.625" available

Sizes: Up to 60"D x 144"L*
- Radius
Corner



*All tops over 60"L must have extra support in addition to the legs by adding additional legs and/or support bar to prevent bowing.

24"D - 30"D T-Mold Edge Laminate Tops

Model #	D" x L"	Thickness			
		0.75	1.25	1.625	
		-L	-S	-U	
TMD5065	24 x 24	242	257	287	
TMD5066	24 x 30	263	293	325	
TMD5067	24 x 36	286	306	358	
TMD5069	24 x 48	295	328	378	
TMD5071	24 x 60	317	362	414	
TMD5072	24 x 72	357	402	480	
TMD5074	24 x 96	497	500	598	
TMD5075	24 x 120	623	701	815	
TMD5076	24 x 144	708	823	952	
TMD5077	30 x 30	290	319	363	
TMD5078	30 x 36	315	334	384	
TMD5080	30 x 48	316	394	447	
TMD5082	30 x 60	357	402	480	
TMD5083	30 x 72	394	451	541	
TMD5085	30 x 96	543	623	734	
TMD5086	30 x 120	706	822	947	
TMD5087	30 x 144	786	922	1069	
	LBS/SQ FT	3.6	5.0	7.0	

36"D - 60"D T-Mold Edge Laminate Tops

Model #	D" x L"	Thickness			
		0.75	1.25	1.625	
		-L	-S	-U	
TMD5088	36 x 36	338	370	433	
TMD5090	36 x 48	383	445	501	
TMD5092	36 x 60	406	490	578	
TMD5093	36 x 72*	485	556	656	
TMD5095	36 x 96	619	709	806	
TMD5096	36 x 120	791	925	1063	
TMD5097	36 x 144	917	1026	1221	
TMD5107	48 x 48	463	528	595	
TMD5108	48 x 60	535	588	693	
TMD5109	48 x 72	593	680	775	
TMD5111	48 x 96	759	878	1116	
TMD5112	48 x 120	1115	1250	1628	
TMD5113	48 x 144	1269	1430	1868	
TMD5114	60 x 60	756	838	1095	
TMD5115	60 x 72	844	991	1233	
TMD5117	60 x 96	1049	1237	1539	
TMD5118	60 x 120	1274	1504	1880	
TMD5119	60 x 144	1459	1730	2168	
	LBS/SQ FT	3.6	5.0	7.0	

Additional Options	List \$
1 grommet hole	25
Additional grommet holes (same top)	10
2.375" black grommet cover	10
Drilling (1-16 holes)	49
Drilling (17+)	68
Inserts installed (each)/(drilling not included)	5
Mitre joint or field joint	64
Additional field joint (same top)	32
Angle cut (first cut)	64
Additional angle cut (same top)	32
Laminate backer substitution (per sq ft)	5
Bulk packaging deduction (per top)	(6)
Full packaging	11
Crate packaging	Call Estim.
Ground packaging (per item)	45

Custom Sizes - Add 5% per top to next larger standard size list price.

Important Information

- Lead Time: See chart on page 4.

Shipping Details

- Class:** 70

NMFC#: 83620-2

Ground: Yes, with limitations
Carton
- Package:**

T-Mold Laminate HPL Colors

Vertical Grain

-Z09
American Cherry

-A02
Asian Night

-32
Bannister Oak

-R01
Blue Agave

-C15
Buka Bark

-B58
Burnt Strand

-D08
Eggplant

-94
Fusion Maple

-FV
Honey Maple

-KB
Hardrock Maple

-C99
Little Black Dress

-D11
Love Letters

-SR
Oiled Cherry

-D18
Picnic in the Park

-D12
Sleeping In

-T01
Sprout

-C09
Tangerine

-D22
Walnut Grove

Solid

-04
Almond

-09
Black

-N5
Cassis

-05
Dove Grey

-CV
Folkstone

-D69
Forsythia

-C98
Fresh Papaya

-60
Hollyberry

-A40
Island

-14
Lapis Blue

-A41
Ocean

-D13
Summer Vacation

-03
White

-L07
Wrought Iron

Pattern

-C97
Beachcomber

-A19
Chocolate Warp

-A73
Classic Linen

-D19
Cookies & Cream

-Z01
Earthen Warp

-25
Grey Nebula

-HL
Woolamai Brush

-D17
Vision Vava

Chemical Resistant Laminate or Electro Static Dissipative Tops⁺ w/T-Mold Edge

Material: Particle board core with black chemical resistant laminate on top or ESD top (in White, Almond, or Grey), 1.625" resin backer

Finish: Standard or custom laminates

Edge: T-Mold: black (standard) or 1.5" radius corners

Thickness: 0.75", 1.25", or 1.625" available

Sizes: Up to 60"D x 144"L*

Radius
Corner



*All tops over 60"L must have extra support in addition to the legs by adding additional legs and/or support bar to prevent bowing.

*All ESD tops over 72" are recommended to have two grounding bolt kits.

*Grounding bolts for ESD tops must be factory installed to ensure proper function.

24"D - 48"D T-Mold Edge Laminate Tops

Chemical Resistant Model #	ESD Model #	Thickness			
		D" x L"	0.75	1.25	1.625
			-L	-S	-U
CHM5065	ESD5065	24 x 24	285	301	328
CHM5066	ESD5066	24 x 30	314	347	376
CHM5067	ESD5067	24 x 36	350	371	422
CHM5069	ESD5069	24 x 48	376	413	459
CHM5071	ESD5071	24 x 60	419	470	515
CHM5072	ESD5072	24 x 72	484	535	610
CHM5074	ESD5074	24 x 96	694	682	775
CHM5075	ESD5075	24 x 120	902	987	1083
CHM5076	ESD5076	24 x 144	1051	1184	1287
CHM5077	ESD5077	30 x 30	356	388	430
CHM5078	ESD5078	30 x 36	398	417	463
CHM5080	ESD5080	30 x 48	418	513	558
CHM5082	ESD5082	30 x 60	490	541	615
CHM5083	ESD5083	30 x 72	556	622	707
CHM5085	ESD5085	30 x 96	789	881	980
CHM5086	ESD5086	30 x 120	1063	1198	1295
CHM5087	ESD5087	30 x 144	1215	1374	1486
CHM5088	ESD5088	36 x 36	438	473	533
CHM5090	ESD5090	36 x 48	519	593	637
CHM5092	ESD5092	36 x 60	572	675	756
CHM5093	ESD5093	36 x 72*	707	788	878
CHM5095	ESD5095	36 x 96*	929	1030	1101
CHM5096	ESD5096	36 x 120	1220	1377	1481
CHM5097	ESD5097	36 x 144	1459	1568	1736
CHM5107	ESD5107	48 x 48	660	734	784
CHM5108	ESD5108	48 x 60	793	846	939
CHM5109	ESD5109	48 x 72	902	1001	1070
CHM5111	ESD5111	48 x 96	1187	1324	1574
CHM5112	ESD5112	48 x 120	1803	1938	2346
CHM5113	ESD5113	48 x 144	2095	2256	2730
		LBS/SQ FT	3.6	5.0	7.0

60"D T-Mold Edge Laminate Tops

Chemical Resistant Model #	ESD Model #	Thickness			
		D" x L"	0.75	1.25	1.625
			-L	-S	-U
CHM5114	ESD5114	60 x 60	1165	1247	1525
CHM5115	ESD5115	60 x 72	1335	1507	1749
CHM5117	ESD5117	60 x 96	1702	1925	2227
CHM5118	ESD5118	60 x 120	2134	2402	2778
CHM5119	ESD5119	60 x 144	2491	2808	3246
		LBS/SQ FT	3.6	5.0	7.0

Additional Options

List \$

0.875" grounding bolt kit w/6" 1 ohm wire (per location)	72
Grounding bolt kit installation (per location)	32
Grounding cord kit w/10' ground cord and snap (per location)	60
Grounding cord kit installation (per location)	32
1 grommet hole	25
Additional grommet holes (same top)	10
2.375" black grommet cover	10
Drilling (1-16 holes)	49
Drilling (17+)	68
Inserts installed (each)/(drilling not included)	5
Mitre joint or field joint	64
Additional field joint (same top)	32
Angle cut (first cut)	64
Additional angle cut (same top)	32
Laminate backer substitution (per sq ft)	5
Bulk packaging deduction (per top)	(6)
Full packaging	11
Crate packaging	Call Estim.
Ground packaging (per item)	45
Markerboard Top	Call Estim.

Custom Sizes - Add 5% per top to next larger standard size list price.

Important Information

- Lead Time: See chart on page 4.
- In order to operate all anti static tops effectively, grounding bolt must be attached to a reliable earth ground connection. Typical installation location for grounding cord or bolt is 4" along back and inset 4" from edge. Specify left or right position.
- Additional chemical resistant laminates available in various colors with possible up charges. Contact Estimating Dept. for pricing.

ESD Laminate Colors



Chemical Resistant Laminate Colors

Other color finish options are available with extended lead times and possible upcharges. For specific color matching, please request color chip from the manufacturer.

Shipping Details

Class: 70
NMFC#: 83640
Ground: Yes, with limitations
Package: Carton



Stainless Steel Top Overview

- Material:** 16-gauge 304 stainless steel with particle board core (not suitable for food preparation)
- Finish:** #4 finish
- Edge:** Wrapped and welded all corners and edges with Safety J edge
- Thickness:** 1.625" thick
- Sizes:** Up to 54"D x 120"L* in one piece (Call Estimating on sizes that are not listed below.)
Max. Depth - 54"
Max Length - 120"
- Options:** Drip edge, T-mold edge, integral backsplash, electrical outlets



*All tops over 60"L must have extra support in addition to the legs by adding additional legs and/or support bar to prevent bowing.

24"D - 30"D Stainless Steel Tops


Model #	Thickness 1.625	
	D" x L"	-U
SSTSJ065	24 x 24	1922
SSTSJ066	24 x 30	2349
SSTSJ067	24 x 36	2360
SSTSJ069	24 x 48	2348
SSTSJ071	24 x 60	2473
SSTSJ072	24 x 72	2781
SSTSJ074	24 x 96	3472
SSTSJ075	24 x 120	4249
SSTSJ077	30 x 30	2478
SSTSJ078	30 x 36	2492
SSTSJ080	30 x 48	2522
SSTSJ082	30 x 60	2543
SSTSJ083	30 x 72	2969
SSTSJ085	30 x 96	3771
SSTSJ086	30 x 120	4305
LBS/SQ FT		11

36"D Stainless Steel Tops

Model #	Thickness 1.625	
	D" x L"	-U
SSTSJ088	36 x 36	2452
SSTSJ090	36 x 48	2486
SSTSJ092	36 x 60	2564
SSTSJ093	36 x 72	3088
SSTSJ095	36 x 96	3736
LBS/SQ FT		11



Stainless integrated backsplash with electrical ports (optional)



Stainless with drip edge (optional)

Additional Options	List \$
Sink cutout	Call Estim.
Stainless steel integral backsplash	Call Estim.
T-Mold edge	Call Estim.
Drip edge	Call Estim.
Phenolic backer addition (per sq ft)	8
PVC edge on core (cleanroom application)	Call Estim.
Backsplash	Call Estim.

Custom Sizes - Add 5% per top to next larger standard size list price.

Important Information

- Lead Time: See chart on page 4.
- Stainless Steel tops are not food grade.

Shipping Details

Class:	70
NMFC#:	83640
Ground:	Yes, with limitations
Package:	Crated

Phenolic Lab Top Overview

- Material:** Black phenolic resin
- Finish:** Matte finish
- Edge:** 0.125" radius on all exterior edges and corners
- Thickness:** 1" thick
- Sizes:** Up to 60"D x 144"L
- Options:** 1" backsplash field machinable



Phenolic
backsplash
(optional)

*All tops over 60"L must have extra support in addition to the legs by adding additional legs and/or support bar to prevent bowing.

24"D - 36"D Phenolic Tops

	Thickness	1
Model #	D" x L"	-P
LAB8065	24 x 24	498
LAB8066	24 x 30	625
LAB8067	24 x 36	730
LAB8069	24 x 48	794
LAB8071	24 x 60	983
LAB8072	24 x 72	1094
LAB8074	24 x 96	1521
LAB8075	24 x 120	1854
LAB8076	24 x 144	2193
LAB8077	30 x 30	658
LAB8078	30 x 36	755
LAB8080	30 x 48	982
LAB8082	30 x 60	1129
LAB8083	30 x 72	1341
LAB8085	30 x 96	1851
LAB8086	30 x 120	2128
LAB8087	30 x 144	2491
LAB8088	36 x 36	936
LAB8090	36 x 48	1151
LAB8092	36 x 60	1393
LAB8093	36 x 72	1679
LAB8095	36 x 96	2185
LAB8096	36 x 120	2699
LAB8097	36 x 144	3190
LBS/SQ FT		7.5

48"D - 60"D Phenolic Tops

	Thickness	1
Model #	D" x L"	-P
LAB8107	48 x 48	1629
LAB8108	48 x 60	2053
LAB8109	48 x 72	2349
LAB8111	48 x 96	3073
LAB8112	48 x 120	3918
LAB8113	48 x 144	4671
LAB8114	60 x 60	2429
LAB8115	60 x 72	2980
LAB8117	60 x 96	3913
LAB8118	60 x 120	4837
LAB8119	60 x 144	5773
LBS/SQ FT		7.5

Additional Options	List \$
1 grommet hole	25
Additional grommet holes (same top)	10
2.375" black grommet cover	10
Drilling (1-16 holes)	49
Drilling (17+)	68
Mitre joint or field joint	64
Additional field joint (same top)	32
Angle cut (first cut)	64
Additional angle cut (same top)	32
4" backsplash (1" thick) (per ln ft)	32
Bulk packaging deduction (per top)	(6)
Full packaging	11
Crate packaging	Call Estim.
Ground packaging (per item)	45

Custom Sizes - Add 5% per top to next larger standard size list price.

Important Information

- Lead Time: See chart on page 4.

Shipping Details

Class:	70
NMFC#:	83640
Ground:	Yes, with limitations
Package:	Carton

Epoxy Resin Lab Top Overview

- Material:** Black epoxy resin
- Finish:** Matte finish
- Edge:** 0.125" radius on all exterior edges and corners
- Thickness:** 1" thick
- Sizes:** Up to 48"D x 96"L
- Options:** 1" backsplash, **NOT field machinable**



Epoxy
backsplash
(optional)

Caution: DO NOT put casters on tables with epoxy resin tops, this voids the warranty.

Any use of an epoxy top utilized in a mobile application will void any/all implied warranties on the top. This is due to exposing edges of an epoxy top to impacts will likely result in damages to the top.

24"D - 30"D Epoxy Tops

	Thickness	1
Model #	D" x L"	-P
LABE067	24 x 36	2513
LABE069	24 x 48	2407
LABE071	24 x 60	2651
LABE072	24 x 72*	2714
LABE074	24 x 96*	3381
LABE080	30 x 48	2651
LABE082	30 x 60	2772
LABE083	30 x 72*	3057
LABE085	30 x 96*	3868
	LBS/SQ FT	11

36"D - 48"D Epoxy Tops

	Thickness	1
Model #	D" x L"	-P
LABE088	36 x 36	2711
LABE090	36 x 48	2894
LABE092	36 x 60	3259
LABE093	36 x 72*	3625
LABE095	36 x 96*	4355
LABE107	48 x 48	3625
LABE108	48 x 60	4147
LABE109	48 x 72*	4669
LABE111	48 x 96*	5712
	LBS/SQ FT	11

Additional Options	List \$
1 grommet hole	call estim.
Additional grommet holes (same top)	call estim.
2.375" black grommet cover	call estim.
Angle cut	call estim.
4" backsplash (1" thick) (per ln ft)	call estim.
Box packaging	call estim.
Crate packaging	call estim.

Custom Sizes - Call for pricing.

Important Information


- Lead Time: See chart on page 4.
- *All tops over 60" must have extra support in addition to the legs by adding additional legs and/or a support bar to prevent bowing.
- Tops must be supported. Cannot clear span over 24" and/or overhang over 3".

Shipping Details

Class:	70
NMFC#:	83640
Ground:	Yes, with limitations
Package:	Bulk

You are going to love our lockers!

*See pages 354-357 in full line catalog
for sizes and pricing on our World Famous Lockers*



*REplay® Lockers also available!
See pages 350-353 in full line catalog
for sizes and pricing*

WB Mfg
WB Manufacturing LLC



Locker Benches

We Have The Best Benches!

WB Manufacturing has been building quality hardwood benches and tops for more than 30 years, and our hardwood locker benches are no exception. A quality-constructed, comfortable, durable bench that will last for years to come is ensured by 1¼" face-glued hardwood strips with full radius edges and two coats catalyzed lacquer finish. Adapt our hardwood seats to your base, or complete your bench with our pedestals, wall hangers or kits.

Locker Bench Overview

Wood Seat: 1.25" face-glued hardwood strips



Wood Finish: 2 coats clear catalyzed lacquer top and edges, 1 coat bottom

Wood Edge: Radius comfort edge and rounded corners

Phenolic Seat: 1" matte black phenolic resin

Phenolic Edge: Eased edge and rounded corners

Pedestals: 16.25" tall round or trapezoid in stainless steel or almond, 17.75" tall U-Frame in black (sold separately)



Hardwood Locker Bench Seats & Accessories

9.5" Depth	12" Depth	18" Depth	24" Depth	Seat Length"	9.5" Depth List \$	12" Depth List \$	18" Depth List \$	24" Depth List \$
LBS9H024	LBS12024	LBS18024	LBS24024	24	86	119	489	489
LBS9H036	LBS12036	LBS18036	LBS24036	36	114	166	206	606
LBS9H042	LBS12042	LBS18042	LBS24042	42	245	315	227	292
LBS9H048	LBS12048	LBS18048	LBS24048	48	145	214	257	331
LBS9H060	LBS12060	LBS18060	LBS24060	60	176	261	318	392
LBS9H072	LBS12072	LBS18072	LBS24072	72	208	308	375	468
LBS9H084	LBS12084	LBS18084	LBS24084	84	239	370	881	957
LBS9H096	LBS12096	LBS18096	LBS24096	96	273	419	519	624
LBS9H108	LBS12108	LBS18108	LBS24108	108	305	470	1137	950
LBS9H120	LBS12120	LBS18120	LBS24120	120	347	520	1137	850
LBS9H132	LBS12132	LBS18132	LBS24132	132	380	570	1137	1037
LBS9H144	LBS12144	LBS18144	LBS24144	144	416	620	1137	937
Drilling and attachment done onsite by others.					LBS/SQ FT	5.0		



Hardwood Locker Bench Seats

20" Depth	Seat Length"	20" Depth List \$
LBS20060	60	781
LBS20072	72	866
LBS/SQ FT		5.0



Meets ADA requirements

ADA Hardwood Locker Bench Seats

20" Depth	24" Depth	Seat Length"	20" Depth List \$	24" Depth List \$
LBS20042	LBS24042	42	282	292
LBS20048	LBS24048	48	294	331
LBS/SQ FT		5.0		



Locker Bench Pedestals & Wall Mount Brackets

Model #	Wgt	Description	List \$
MSLP	5.5	16.25"H Round, Almond (includes bench top mounting hardware)	116
SSLP	5	16.25"H Round, Stainless Steel (includes bench top mounting hardware)	192
04009060	5.5	16.25"H Trapezoid, Stainless Steel (includes bench top mounting hardware)**	212
04009060-04	6	16.25"H Trapezoid, Almond (includes bench top mounting hardware)**	140
0406773	2	17.75"H U-Frame, Black**	206
0400151	3	18" x 20" ADA Stainless Steel Backrest Bracket	348
0400490-04	23	ADA Frame, Almond	188
0400490-SS	18	ADA Frame, Stainless Steel	356

**Recommended for benches with depths between 12" and 18", floor mounting hardware not included.

Locker Bench Wall Mount Brackets*

Black (-B)	Almond (-A)	Stainless Steel (SS)	Wgt	Description	Black List \$	Almond List \$	Stainless Steel List \$
BKT0508-B	BKT0508-A	N/A	2	9.5" and 12" Deep Seat (Pair)	78	78	N/A
BKT0812-B	BKT0812-A	N/A	4	15" Deep Seat (Pair)	105	105	N/A
BKT1218-B	BKT1218-A	BKT1218-SS	6	20" Deep Seat (Pair)	123	123	396
BKT1521-B	BKT1521-A	BKT1521-SS	8	24" Deep Seat (Pair)	137	137	320



Additional Options

	List \$
(-M) Maple, (-H) Hard Maple	Call Estim.
Custom sizes (Use price for next larger size and add \$100)	<---
Mitre joint or field joint (per side)	55
Angle cut (each cut)	55

Shipping Details

Class:	70
NMFC#:	79860(Locker Benches),83630(Pedestals, Brackets)
Assembly:	Unassembled
Ground:	Yes with limitations, call Estim.
Package:	Carton

Important Information

- Lead Time: See chart on page 4.
- It is recommended to install two pairs of round pedestals for every four foot span on ADA benches. It is recommended to install two pedestals for every four foot span on locker benches. Hardware to attach pedestals to the bench is included. Benches greater than 72" require more than 2 pedestals. Benches 20" and wider need more than 1 pedestal per side.
- It is recommended to attach pedestals to the floor, hardware to attach pedestals to floor is not included.
- Hardwood locker benches are not recommended for areas with high moisture content. Failure to properly protect benches from moisture negates the product warranty.

Locker Bench Kits



LBSADA2048SS



Meets ADA requirements



LBSBKT20048



LBSMP9H060

ADA Locker Bench Seat Kits (with Welded Frames)

Almond Pedestal	Almond Wgt	Stainless Steel Pedestal	SS Wgt	Description	D" x L" x H"	Almond List \$	Stainless Steel (-SS) List \$
LBSADA2042	101	LBSADA2042SS	91	ADA Kit w/Back (2 Frames)*	20 x 42 x 18	1007	1324
LBSADA2048	109	LBSADA2048SS	99	ADA Kit w/Back (2 Frames)*	20 x 48 x 18	1053	1370
LBSADA2060	126	LBSADA2060SS	116	ADA Kit w/Back (2 Frames)*	20 x 60 x 18	1402	1719
LBSADA2072	164	LBSADA2072SS	149	ADA Kit w/Back (3 Frames)*	20 x 72 x 18	1650	2127
LBSADA2442	107	LBSADA2442SS	97	ADA Kit w/Back (2 Frames)*	24 x 42 x 18	1041	1358
LBSADA2448	116	LBSADA2448SS	106	ADA Kit w/Back (2 Frames)*	24 x 48 x 18	1092	1409
LBSADA2460	134	LBSADA2460SS	124	ADA Kit w/Back (2 Frames)*	24 x 60 x 18	1194	1511
LBSADA2472	174	LBSADA2472SS	159	ADA Kit w/Back (3 Frames)*	24 x 72 x 18	1439	1917

*Seats are pre-drilled and include hardware to attach bench to frames, floor mounting hardware not supplied.

ADA Locker Bench Seat Kits with Wall Brackets*

Choose from Almond, Black or Stainless Steel Brackets

Model #	-A/-B Wgt	-SS Wgt	D" x L" x H"	Description	Almond (-A) List \$	Black (-B) List \$	Stainless Steel (-SS) List \$
LBSBKT20042	35	34	20 x 42 x 1.25	Includes 2 Wall Mount Brackets	366	366	688
LBSBKT20048	39	38	20 x 48 x 1.25	Includes 2 Wall Mount Brackets	394	394	715
LBSBKT24042	41	40	24 x 42 x 1.25	Includes 2 Wall Mount Brackets	420	420	847
LBSBKT24048	48	47	24 x 48 x 1.25	Includes 2 Wall Mount Brackets	453	453	882

*Drilling and attachment done onsite by others.

Hardwood Locker Bench Kits

Almond Pedestal	Almond Wgt	Stainless Steel Pedestal	SS Wgt	Description	D" x L" x H"	Almond List \$	Stainless Steel List \$
LBSMP9H036	23	LBSMP9H036SS	22	Hardwood Seat w/2 Pedestals*	9.5 x 36 x 17.5	349	521
LBSMP9H048	27	LBSMP9H048SS	26	Hardwood Seat w/2 Pedestals*	9.5 x 48 x 17.5	375	547
LBSMP9H060	31	LBSMP9H060SS	30	Hardwood Seat w/2 Pedestals*	9.5 x 60 x 17.5	401	573
LBSMP9H072	35	LBSMP9H072SS	34	Hardwood Seat w/2 Pedestals*	9.5 x 72 x 17.5	427	599
LBSMP9H096	49	LBSMP9H096SS	47	Hardwood Seat w/3 Pedestals*	9.5 x 96 x 17.5	589	846
LBSMP12036	26	LBSMP12036SS	25	Hardwood Seat w/2 Pedestals*	12 x 36 x 17.5	370	558
LBSMP12048	31	LBSMP12048SS	30	Hardwood Seat w/2 Pedestals*	12 x 48 x 17.5	415	592
LBSMP12060	36	LBSMP12060SS	35	Hardwood Seat w/2 Pedestals*	12 x 60 x 17.5	449	626
LBSMP12072	41	LBSMP12072SS	40	Hardwood Seat w/2 Pedestals*	12 x 72 x 17.5	490	669
LBSMP12096	57	LBSMP12096SS	55	Hardwood Seat w/3 Pedestals*	12 x 96 x 17.5	677	959
LBSMP18042	37	LBSMP18042SS	36	Hardwood Seat w/2 Pedestals*	18 x 42 x 17.5	444	616
LBSMP18048	41	LBSMP18048SS	40	Hardwood Seat w/2 Pedestals*	18 x 48 x 17.5	468	640
LBSMP20042	51	LBSMP20042SS	49	Hardwood Seat w/4 Pedestals*	20 x 42 x 17.5	654	1013
LBSMP20048	55	LBSMP20048SS	53	Hardwood Seat w/4 Pedestals*	20 x 48 x 17.5	683	1042
LBSMP20060	64	LBSMP20060SS	62	Hardwood Seat w/4 Pedestals*	20 x 60 x 17.5	1003	1347
LBSMP20072	72	LBSMP20072SS	70	Hardwood Seat w/4 Pedestals*	20 x 72 x 17.5	1072	1416
LBSMP24042	57	LBSMP24042SS	55	Hardwood Seat w/4 Pedestals*	24 x 42 x 17.5	684	1038
LBSMP24048	62	LBSMP24048SS	60	Hardwood Seat w/4 Pedestals*	24 x 48 x 17.5	728	1072
LBSMP24060	72	LBSMP24060SS	70	Hardwood Seat w/4 Pedestals*	24 x 60 x 17.5	763	1107
LBSMP24072	82	LBSMP24072SS	80	Hardwood Seat w/4 Pedestals*	24 x 72 x 17.5	829	1172

*Seats are pre-drilled and include hardware to attach bench to pedestal. Hardware to attach pedestals to floor is not included.

Locker Bench Seats

Phenolic Locker Bench Kits w/ Stainless Steel Pedestals

Model #	Wgt	Description	D" x L" x H"	List \$
PLB9H036	28	Phenolic Seat w/2 SS Pedestals*	9.5 x 36 x 17.25	682
PLB9H048	34	Phenolic Seat w/2 SS Pedestals*	9.5 x 48 x 17.25	739
PLB9H060	40	Phenolic Seat w/2 SS Pedestals*	9.5 x 60 x 17.25	797
PLB9H072	51	Phenolic Seat w/3 SS Pedestals*	9.5 x 72 x 17.25	1002
PLB9H096	63	Phenolic Seat w/3 SS Pedestals*	9.5 x 96 x 17.25	1142
PLB9H120	79	Phenolic Seat w/4 SS Pedestals*	9.5 x 120 x 17.25	1408
PLB12036	33	Phenolic Seat w/2 SS Pedestals*	12 x 36 x 17.25	733
PLB12048	40	Phenolic Seat w/2 SS Pedestals*	12 x 48 x 17.25	804
PLB12060	48	Phenolic Seat w/2 SS Pedestals*	12 x 60 x 17.25	876
PLB12072	60	Phenolic Seat w/3 SS Pedestals*	12 x 72 x 17.25	1097
PLB12096	75	Phenolic Seat w/3 SS Pedestals*	12 x 96 x 17.25	1264
PLB12120	95	Phenolic Seat w/4 SS Pedestals*	12 x 120 x 17.25	1565
PLB18042	49	Phenolic Seat w/2 SS Pedestals*	18 x 42 x 17.25	891
PLB18048	55	Phenolic Seat w/2 SS Pedestals*	18 x 48 x 17.25	945
PLB20042	64	Phenolic Seat w/4 SS Pedestals*	20 x 42 x 17.25	1231
PLB20048	70	Phenolic Seat w/4 SS Pedestals*	20 x 48 x 17.25	1290
PLB24042	73	Phenolic Seat w/4 SS Pedestals*	24 x 42 x 17.25	1314
PLB24048	80	Phenolic Seat w/4 SS Pedestals*	24 x 48 x 17.25	1386

*Seats are pre-drilled and include hardware to attach bench to pedestal.



LBSMP18048U

Portable Hardwood Locker Bench Kits

Model #	Wgt	Description	D" x L" x H"	List \$
LBSMP12048U	30	Hardwood Seat w/2 Black U Legs, Glides**	12 x 48 x 19	883
LBSMP12060U	35	Hardwood Seat w/2 Black U Legs, Glides**	12 x 60 x 19	928
LBSMP12072U	44	Hardwood Seat w/2 Black U Legs, Glides (support bar)**	12 x 72 x 19	1229
LBSMP12096U	55	Hardwood Seat w/3 Black U Legs, Glides**	12 x 96 x 19	1381
LBSMP15048U	35	Hardwood Seat w/2 Black U Legs, Glides**	15 x 48 x 19	1247
LBSMP15060U	41	Hardwood Seat w/2 Black U Legs, Glides**	15 x 60 x 19	1317
LBSMP15072U	52	Hardwood Seat w/2 Black U Legs, Glides (support bar)**	15 x 72 x 19	1637
LBSMP15096U	65	Hardwood Seat w/3 Black U Legs, Glides**	15 x 96 x 19	1801
LBSMP18048U	40	Hardwood Seat w/2 Black U Legs, Glides**	18 x 48 x 19	974
LBSMP18060U	48	Hardwood Seat w/2 Black U Legs, Glides**	18 x 60 x 19	1042
LBSMP18072U	59	Hardwood Seat w/2 Black U Legs, Glides (support bar)**	18 x 72 x 19	1366
LBSMP18096U	75	Hardwood Seat w/3 Black U Legs, Glides**	18 x 96 x 19	1568

**Seats are pre-drilled and include hardware to attach bench to legs.



PLB12048

Phenolic Locker Bench (w/o pedestals)

Model #	Wgt	D" x L" x H"	List \$
LAB9H036	18	9.5 x 36 x 1	314
LAB9H048	24	9.5 x 48 x 1	371
LAB9H060	30	9.5 x 60 x 1	430
LAB9H072	36	9.5 x 72 x 1	486
LAB9H096	48	9.5 x 96 x 1	619
LAB9H120	59	9.5 x 120 x 1	736
LAB12036	23	12 x 36 x 1	365
LAB12048	30	12 x 48 x 1	437
LAB12060	38	12 x 60 x 1	508
LAB12072	45	12 x 72 x 1	581
LAB12096	60	12 x 96 x 1	741
LAB12120	75	12 x 120 x 1	893
LAB18042	39	18 x 42 x 1	524
LAB18048	45	18 x 48 x 1	577
LAB20042	44	20 x 42 x 1	565
LAB20048	50	20 x 48 x 1	625
LAB24042	53	24 x 42 x 1	649
LAB24048	60	24 x 48 x 1	720

Additional Options

(-M) Maple, (-H) Hard Maple

List \$

Call Estim.

Custom sizes (Use price for next larger size and add \$100)

<---

Shipping Details

Class: 70
NMFC#: 79860(Phenolic Locker Kit), 83620-2(Phenolic Locker Bench), 97720(Pedestals, Brackets)
Assembly: Unassembled
Ground: Yes with limitations, call Estim.

Important Information

- **Lead Time:** See chart on page 4.
- It is recommended to install two pairs of round pedestals for every four foot span on ADA benches. It is recommended to install two pedestals for every four foot span on locker benches. Hardware to attach pedestals to the bench is included. Benches greater than 72" require more than 2 pedestals. Benches 20" and wider need more than 1 pedestal per side.
- It is recommended to attach pedestals to the floor, hardware to attach pedestals to floor is not included.
- Hardwood locker benches are not recommended for areas with high moisture content. Failure to properly protect benches from moisture negates the product warranty.

Laminate Benches & Cubbie Benches

Complimentary Laminate Benches for All Your Seating Needs!

Select from three styles: two with our popular 1¼" hardwood benchtop for extra durability or a 1" seat, either with an open base or cubbie base to store backpacks or duffle bags up off the floor.

Laminate Bench Overview

Classic Finish: Double sided thermal fused laminate (TFL)


Premium Finish: Double sided high pressure laminate (HPL)

Frame: 1" fully doweled, pocket screwed for re-enforcement (ships fully assembled), screw-in, non-marring glides

Seat: 1" matching (square edges/corners) seat, 3mm PVC edge banding or 1.25" clear lacquer finished butcher block with radius edge for comfort, 2 coats clear catalyzed lacquer top, 1 coat bottom

Finish: Choice of standard colors (check availability of non-standard colors, minimum orders may apply)

Options: Non-standard edge band, custom sizes (use price for next larger size and add \$100)



Classic: Select 1 TFL color on all surfaces

Premium:* Select 1 HPL color on all surfaces

Standard TFL Colors Matching edge banding standard. Complimentary available upon request.

-Z09/T	-KB/T	-FV/T	-C99/T	-SR/T	-D12/T	D22/T	-09/T	-CV/T	-C98/T	-D13/T	-03/T	-C97/T
American Cherry	Hardrock Maple	Honey Maple	Little Black Dress	Oiled Cherry	Sleeping In	Walnut Grove	Black	Folkstone	Fresh Papaya	Summer Vacation	White	Beachcomber

Standard HPL Colors See page 37 for available edge banding colors.

-Z09	-A02	-32	-R01	-C15	-B58	-04	-09	-N5	-05	-CV	-C97	-A19	-A73
American Cherry	Asian Night	Bannister Oak	Blue Agave	Buka Bark	Burnt Strand	Almond	Black	Cassis	Dove Grey	Folkstone	Beachcomber	Chocolate Warp	Classic Linen
-D08	-94	-FV	-KB	-C99	-D11	-D69	-C98	-60	-A40	-14	-D19	-Z01	-25
Eggplant	Fusion Maple	Honey Maple	Hardrock Maple	Little Black Dress	Love Letters	Forsythia	Fresh Papaya	Hollyberry	Island	Lapis Blue	Cookies & Cream	Earthen Warp	Grey Nebula
-SR	-D18	-D12	-T01	-C09	-D22	-A41	-D13	-03	-L07		-HL	-D17	
Oiled Cherry	Picnic in the Park	Sleeping In	Sprout	Tangerine	Walnut Grove	Ocean	Summer Vacation	White	Wrought Iron		Woolamair Brush	Vision Vava	

*Premium does not include premium finish laminates but they can be an additional option with upcharge. All laminates above are considered standard options. For a list of stocked options please view the Standard Finishes on page 36. Available quantities, sizes and lead times may vary based on market fluctuation. Contact customer service for lead times.

Laminate Benches



LLB1548



BLLB1548

For all "BLLB____" Model #'s,
Classic and Premium Finishes
refer to base only. Seat is Hardwood.

Laminate Seat

Model #	Wgt	Description	D" x L" x H"	Classic List \$ (/C)	Premium List \$ (/P)
LLB1524	43	Laminate Bench, Laminate Seat	15 x 24 x 18	604	955
LLB1536	53	Laminate Bench, Laminate Seat	15 x 36 x 18	639	1024
LLB1548	64	Laminate Bench, Laminate Seat	15 x 48 x 18	673	1094
LLB2024	52	Laminate Bench, Laminate Seat	20 x 24 x 18	634	1026
LLB2036	64	Laminate Bench, Laminate Seat	20 x 36 x 18	674	1108
LLB2048	75	Laminate Bench, Laminate Seat	20 x 48 x 18	713	1191
LLB2424	60	Laminate Bench, Laminate Seat	24 x 24 x 18	658	1083
LLB2436	72	Laminate Bench, Laminate Seat	24 x 36 x 18	701	1176
LLB2448	84	Laminate Bench, Laminate Seat	24 x 48 x 18	746	1269

Hardwood Seat

Model #	Wgt	Description	D" x L" x H"	Classic List \$ (/C)	Premium List \$ (/P)
BLLB1524	45	Laminate Bench, Hardwood Seat	15 x 24 x 18	867	987
BLLB1536	55	Laminate Bench, Hardwood Seat	15 x 36 x 18	968	1098
BLLB1548	67	Laminate Bench, Hardwood Seat	15 x 48 x 18	991	1125
BLLB2024	54	Laminate Bench, Hardwood Seat	20 x 24 x 18	916	1051
BLLB2036	67	Laminate Bench, Hardwood Seat	20 x 36 x 18	990	1136
BLLB2048	79	Laminate Bench, Hardwood Seat	20 x 48 x 18	1068	1222
BLLB2424	62	Laminate Bench, Hardwood Seat	24 x 24 x 18	931	1079
BLLB2436	75	Laminate Bench, Hardwood Seat	24 x 36 x 18	1006	1164
BLLB2448	88	Laminate Bench, Hardwood Seat	24 x 48 x 18	1082	1247

Cubbie Benches



LCB1775



BBCB1745

For all "BBCB____" Model #'s,
Classic and Premium Finishes
refer to base only. Seat is Hardwood.

Cubbie Bench w/ Laminate Seat

Model #	Wgt	Description	D" x L" x H"	Classic List \$ (/C)	Premium List \$ (/P)
LCB1745	92	3 Cubbie Bench, Laminate Seat	17 x 45.25 x 17	1621	2752
LCB1760	134	4 Cubbie Bench, Laminate Seat	17 x 60 x 17	1780	2871
LCB1775	190	5 Cubbie Bench, Laminate Seat	17 x 74.75 x 17	1939	3097

Overall Depth: 18"

Cubbie Bench w/ Hardwood Seat

Model #	Wgt	Description	D" x L" x H"	Classic List \$ (/C)	Premium List \$ (/P)
BBCB1745	95	3 Cubbie Bench, Hardwood Seat	17 x 45.25 x 17	1918	2832
BBCB1760	138	4 Cubbie Bench, Hardwood Seat	17 x 60 x 17	2161	3030
BBCB1775	195	5 Cubbie Bench, Hardwood Seat	17 x 74.75 x 17	2453	3359

Overall Depth: 18"

Important Information

- Lead Time: See chart on page 4.

Shipping Details

Class: Density Based Class
NMFC#: 80440
Assembly: Fully Assembled
Ground: N/A for UPS

Stools



Square Tube Stool Overview

- Frame:** 16-gauge heavy duty 1.25" (adjustable) and 1" (fixed) steel tube legs fully welded to 12-gauge seat mounting plate
- Finish:** Textured black powder coating
- HW Seat:** 14" round 1.25" face-glued hardwood strips, radius edge, 2 coats catalyzed lacquer finish (9)
- AE™ Seat:** 14" round 1.25" high pressure laminate (HPL), radius Lotz Armor Edge™ and phenolic backer (7)
- Urethane Seat:** 14" round 1.75" Urethane Seat (UR) (only available in black)
- Welded-On Backrest:** 16-gauge steel, textured black finish only (available as 4-legged stool only), optional
- Bolt-On Backrest:** 16-gauge steel, textured black finish only (optional) (-BZ)
- Footrest:** 0.375" diameter ring, fully welded to legs
- Glides:** Non-marring glides
- Option:** Steel glides

Square Tube Stools, No backrest



STL7186-AQ4



STL9186-AF4



STLUR186-AF4



STL7186-AH5



STL9186-AL5



STLUR186-AH5

Lotz AE™ Seat	AE™ Wgt	Hardwood Seat	Hardwood Wgt	Urethane Seat	Urethane Wgt	Description	Height" w/ Seat*	AE™ List \$	Hardwood List \$	Urethane List \$
STL7186-AF4	13	STL9186-AF4	12	STLUR186-AF4	11	Desk Height Fx Stool, 4 legged	18	277	187	252
STL7186-AJ4	15	STL9186-AJ4	14	STLUR186-AJ4	13	Counter Height Fx Stool, 4 legged	24	285	196	262
STL7186-AQ4	20	STL9186-AQ4	19	STLUR186-AQ4	18	Table Height Adj Stool, 4 legged	18-28	342	260	330
STL7186-AM4	21	STL9186-AM4	20	STLUR186-AM4	19	Counter Height Adj Stool, 4 legged	22-32	495	415	494
STL7186-AH5	14	STL9186-AH5	13	STLUR186-AH5	12	Desk Height Fx Stool, 5 legged	18	289	200	266
STL7186-AL5	16	STL9186-AL5	15	STLUR186-AL5	14	Counter Height Fx Stool, 5 legged	24	297	216	276
STL7186-AR5	22	STL9186-AR5	21	STLUR186-AR5	20	Table Height Adj Stool, 5 legged	18-28	377	308	372
STL7186-AP5	25	STL9186-AP5	24	STLUR186-AP5	23	Counter Height Adj Stool, 5 legged	22-32	377	308	373

*Seat height increases .5" with an urethane seat.

Square Tube Stools, Bolt-On Backrest



STL7186-AQ4-BZ



STL9186-AF4-BZ



STLUR186-AQ4-BZ



STL9186-AR5-BZ



STL9186-AR5-BZ



STLUR186-AH5-BZ


Lotz AE™ Seat	AE™ Wgt	Hardwood Seat	Hardwood Wgt	Urethane Seat	Urethane Wgt	Description	Height" w/ Seat*	AE™ List \$	Hardwood List \$	Urethane List \$
STL7186-AF4-BZ	20	STL9186-AF4-BZ	19	STLUR186-AF4-BZ	18	Desk Height Fx Stool, 4 legged	18	384	315	380
STL7186-AJ4-BZ	22	STL9186-AJ4-BZ	21	STLUR186-AJ4-BZ	20	Counter Height Fx Stool, 4 legged	24	392	325	390
STL7186-AQ4-BZ	27	STL9186-AQ4-BZ	26	STLUR186-AQ4-BZ	25	Table Height Adj Stool, 4 legged	18-28	448	390	458
STL7186-AM4-BZ	28	STL9186-AM4-BZ	27	STLUR186-AM4-BZ	26	Counter Height Adj Stool, 4 legged	22-32	588	536	598
STL7186-AH5-BZ	21	STL9186-AH5-BZ	20	STLUR186-AH5-BZ	19	Desk Height Fx Stool, 5 legged	18	395	329	394
STL7186-AL5-BZ	23	STL9186-AL5-BZ	22	STLUR186-AL5-BZ	21	Counter Height Fx Stool, 5 legged	24	403	339	404
STL7186-AR5-BZ	29	STL9186-AR5-BZ	28	STLUR186-AR5-BZ	27	Table Height Adj Stool, 5 legged	18-28	483	431	500
STL7186-AP5-BZ	32	STL9186-AP5-BZ	31	STLUR186-AP5-BZ	30	Counter Height Adj Stool, 5 legged	22-32	483	431	500

*Seat height increases .5" with an urethane seat.

Replacements

Replacement Seats

Model #	Wgt	Hgt"	Description	List \$
AE14BS	7	1.25	14" Round Lotz AE™ Seat w/ Drilling	231
HW14BS	6	1.25	14" Round Hardwood Seat w/ Drilling	107
UR14BS	3	1.75	14" Round Urethane Seat w/ Drilling	145



Replacement Glide for STL Stools

SKU	Wgt	Qty	Description	List \$
0401240	1	1	1" Square Platform Swivel Glide	3



Standard HPL Colors* for Laminate Seats (colors not available on backrests.)

Vertical Grain	-Z09 American Cherry	-A02 Asian Night	-32 Bannister Oak	-R01 Blue Agave	-C15 Buka Bark	-B58 Burnt Strand	Solid	-04 Almond	-09 Black	-N5 Cassis	-05 Dove Grey	-CV Folkstone	-C97 Beachcomber	-A19 Chocolate Warp	-A73 Classic Linen
	-D08 Eggplant	-94 Fusion Maple	-FV Honey Maple	-KB Hardrock Maple	-C99 Little Black Dress	-D11 Love Letters		-D69 Forsythia	-C98 Fresh Papaya	-60 Hollyberry	-A40 Island	-14 Lapis Blue	-D19 Cookies & Cream	-Z01 Earthen Warp	-25 Grey Nebula
	-SR Oiled Cherry	-D18 Picnic in the Park	-D12 Sleeping In	-T01 Sprout	-C09 Tangerine	-D22 Walnut Grove		-A41 Ocean	-D13 Summer Vacation	-03 White	-L07 Wrought Iron	Pattern	-HL Woolamai Brush	-D17 Vision Vava	



Additional Formica, Wilsonart and Panolam laminates available. Call Estimating for a custom quote.

Lotz Armor Edge™ Options			
-S04 Black(Standard)	-S05 Dove Grey	-S03 Slate Grey	-S07 Indigo

Leg Color:
-S07 Plum

*All laminates above are considered standard options, For a list of stocked options please view the Standard Finishes on page 36. Available quantities, sizes and lead times may vary based on market fluctuation. Contact customer service for lead times.

Additional Options	List \$
Steel glides	50

Important Information


- Lead Time: See chart on page 4.
- AJ4, -AQ4 & -AF4 with Hardwood or Urethane seats are available to ship in 7-10 days or less.

Shipping Details

Class: Frame: Density Based Class, Seat: 70
NMFC#: Frame: 80580, Seat: 83620
Assembly: Some Assembly
Ground: Yes with limitations, call Estimating.

Standard HPL*

Solid



Chemical Resistant HPL*




*Chemical Resistant laminate is a non-standard finish and is priced accordingly throughout the catalog. Other color and finish options are available with extended lead times and possible upcharges. For specific color matching, please request color chip from the manufacturer.

WB Black


Vertical Grain




Pattern




HPL ESD Laminate Colors



WB White




WB Almond



WB Dove Grey

*WB laminates are stocked options. All laminates above are standard options; Available quantities, sizes and lead times may vary based on market fluctuation. Contact customer service for lead time.

Standard .5mm PVC Edge Band




Standard Lotz Armor Edge™ Colors




*Black Lotz Armor Edge™ is standard, colors above are available upon request. Rhapsody Compartment Shelves only available with Black Lotz Armor Edge™

Standard 3mm PVC Edge Band* - Limited to 1.25" thickness and less Standard HPL and TFL colors with a matching 3mm edge band.



Pattern HPL With Solid Complimentary Edge Band †Matching edge banding is not available for these patterns.



*3mm PVC edge bands that match WB stocked laminates are stocked options. Other matching 3mm edge bands are standard options; quantities, sizes and lead times may vary. Contact customer service for additional edge thickness options and lead times. For additional edge band colors with extended lead times and possible upcharges visit Rehau.com

WB Manufacturing Warranty



WB Manufacturing's Promise

WB Manufacturing warrants that its products shall be free of substantial defects in original material and workmanship based on specifications from the date of delivery to the extent detailed herein.

WB Manufacturing promises to repair or replace any WB Manufacturing brand product or component that is defective in material or workmanship under normal use for as long as the End User owns it. This is the sole and exclusive remedy for WB Manufacturing products to be found defective. This warranty applies to WB Manufacturing products from the date of delivery to the End User and is non-transferable but is subject to limitations, exclusions or other provisions detailed below. End User implies the final purchasing entity acquiring the product from a WB Manufacturing Authorized Dealer for the purchaser's use and not for resale, remarketing or distribution.

WB Manufacturing Limited Lifetime Warranty Terms

Limited Lifetime Warranty — WB Manufacturing warrants that its laminate furniture, Book Nook Products, CaseworkUSA® Storage, REplay® Laminate Lockers & Cubbies, REplay® Storage Cabinets, Rhapsody® Music Storage, Storage Solutions, Synergy Products, World Famous Lockers and its steel frame products, specifically our desks, tables, chairs and stools shall be free of substantial defects in original material and workmanship from the date of delivery. This warranty is subject to the limitations and exclusions indicated below.

Additionally, WB Manufacturing warrants that all laminate furniture products are to be compliant with Custom Grade or better, as defined in AWI Standards, Eighth Edition, Revision 2, unless contract documents indicate otherwise.

12 Year Warranty — WB Manufacturing warrants that its laminate tops, butcher block tops, phenolic tops, epoxy tops, stainless steel tops, high wear and moveable parts (ie: casters, glides, etc.) shall be free of substantial defects in original material and workmanship for twelve (12) years from the date of delivery.

5 Year Warranty — WB Manufacturing warrants that all pneumatic bases and bases with flip mechanisms are free of substantial defects in original materials and workmanship for five (5) years from the date of delivery.

1 Year Warranty — WB Manufacturing warrants that all electrical components and dry erase markerboard surfaces are free of substantial defects in original materials and workmanship for one (1) year from the date of delivery.

WB Manufacturing Warranty Cont.



WB Manufacturing Warranty Exclusions and Limitations

Exclusions — This warranty does not apply and no other warranty applies to the following:

- Abnormal defects caused by abuse or unruly use, modification or alteration of the product.
- Any damage caused in transit by the carrier. WB Manufacturing will handle this with separate terms.
- Ordinary wear and tear (including but not limited to, scratching of laminate, phenolic, epoxy and butcher block tops, and ghosting on dry-erase markerboard) involving primary furniture surfaces, which are to be expected over the course of ownership.
- Products installed, used or maintained without following product specifications, assembly instructions or WB Manufacturing recommendations and warnings.
- Any intentional modifications or attachments to the product that were not designed or approved by WB Manufacturing.
- Product exposure to water or dense humidity.

Warranty Limitations – This warranty is provided only to the initial purchaser, is non-transferable and is valid strictly for as long as the product is owned by the original customer. To be protected under this warranty, all products must be stored in areas of controlled temperature and humidity, and periodic regular scheduled maintenance must be performed. Cleaning of the high pressure laminate should be done by warm water and a non-abrasive cleaner. Abrasive materials should not be used for cleaning.

This warranty does not cover improper assembly/installation, failure as a result of inadequate inspection and maintenance, accident, vandalism or freight damage. Any incidental or consequential damages, including but not limited to business losses, personal property damage, and third party liabilities are hereby expressly excluded.

WB Manufacturing shall repair or replace, at its discretion, any portion of the product which proves to be defective under the terms of this warranty. Freight and installation costs are not included. WB Manufacturing may elect to substitute a reasonably comparable product, or a cash refund of the original purchase price (less reasonable depreciation) in the event the original warranted product is no longer manufactured at the time the warranty is exercised.

WB Manufacturing products are not recommended or warranted for outdoor use. Some natural color variations occurring in plastics, laminates, paints or other natural materials are inherent to their character and cannot be avoided. WB Manufacturing does not consider these as defects. In addition, color-fastness or matching of colors, grains or textures of such materials are not warranted. Materials used at the request of a user or provided by customer is not warranted.

There are no implied warranties of fitness or merchantability, and there are no other express warranties beyond the warranties expressed here.

green

Focus is to Exceed in Green Initiatives

WB Manufacturing, a manufacturer of custom work surfaces, tables, furniture and casework, has adopted a green operations initiative that values environmentally responsible practices in manufacturing and operations of its facility.

WB Manufacturing incorporated a broad range program affecting everything from materials that go into its products to its standards on the manufacturing floor. "The process to go green involved reviewing all areas of the business," said Steve Burgess, President.

Energy consumption is a major expense for the organization, but WB Manufacturing found that with a few simple changes from energy efficient lights on the 200,000 square foot plant to motion sensor light switches in the office area resulted in reduced usage by 54% and significantly lower energy bills. WB Manufacturing also voluntarily participates in the peak load lighting conservation program with the local utility company.

Recycling has always been a standard business practice from using recycled paper in the office equipment and recycled corrugated cardboard for packaging to recycling aluminum cans and plastics. WB Manufacturing even recycles the salvage particle board and MDF scraps using a dedicated shredder to create small bedding particles for local farms.

As part of our green manufacturing focus, WB Manufacturing routinely acquires products like particle board and medium density fiberboard (MDF) with No Added Formaldehyde (NAF), Ultra Low-Emitting Formaldehyde (ULEF) in addition to standard industrial grade particle board, medium and thin density fiberboard and plywood used in our products that is both California Air Resource Board (CARB) Phase 2 and Environmental Protection Agency (EPA) TSCA Title VI compliant. "We are constantly evaluating our suppliers to ensure that their products are constructed using recycled wood fiber, as well as compliance to these regulations required for our industry and services provided", added Lane Whitted, Purchase Manager.

CARB established emission standards for wood products made with urea-formaldehyde resin products being sold in the State of California. The stated goals of CARB include attaining and maintaining healthy air quality; protecting the public from exposure to toxic air contaminants; and providing innovative approaches for complying with air pollution rules and regulations. In selecting particle board and MDF, WB Manufacturing selects Eco-Certified Composites (ECC). In addition to the adherence to CARB regulations, all composite wood products supplied by WB Manufacturing are also compliant to the EPA TSCA Title VI regulations that became effective as of June 1st, 2018.

WB Manufacturing supplies labeled products in accordance to the California Safe Drinking Water and Toxic Act of 1986 (a.k.a. - Proposition 65 Act). This Act requires all businesses to provide warnings to users in California about exposures to chemicals that cause cancer, birth defects or other reproductive harm.

WB Manufacturing continues to focus its operation on complying with manufacturing standards that puts the health and welfare of the planet and our people first. Our focus is to exceed in green initiatives and standards.

Visit wibenchmfg.com to learn more about our involvement in the following programs:

- Eco-Certified Composite Standard
- California Air Resource Board

We Can.
DESIGN. BUILD. DELIVER.

We Can.
DESIGN. BUILD. DELIVER.

WB Manufacturing, Thorp, WI

A Growing Company

With a new addition that went up in 2015, WB Manufacturing has the capacity to meet your needs. Our 250,000 square foot facility employs an average of 250 full-time employees throughout the year who are all working to help you reach your goals. As the company continues to grow, our product lines continue to expand- offering solutions for multiple industries including industrial, educational, office, and health markets.



IMH **INDUSTRIAL** **MATERIAL HANDLING**

BY WB MANUFACTURING



WB Manufacturing LLC

507 E. Grant St.

Thorp, WI 54771

P - 800.242.2303

F - 715.669.5929

info@wibenchmfg.com

wibenchmfg.com

